

THE
ULTIMATETM
4-STROKE OUTBOARD



2019

SUZUKI GENUINE PARTS AND ACCESSORIES

Internal use only

Dear Suzuki Dealer,

Quality. Dependability. Innovation. Everything that you expect from your outboard motors is delivered with style by SUZUKI.

Demand no less from the products that you choose to enhance your total boating pleasure. Demand SUZUKI GENUINE ACCESSORIES.

This catalogue represents our commitment to provide you with the finest products available.

From our classic line of matching instruments and gauges to our custom-engineered propellers and rigging items, you can depend on SUZUKI GENUINE ACCESSORIES for optimum performance.

Take a few minutes to browse through this catalogue, and then be sure to contact your AUTHORIZED SUZUKI DISTRIBUTOR for further information.

Thank you.

Suzuki Deutschland GmbH



MODEL NAME AND ENGINE NUMBER

NOTE: Items and their part numbers showing in this catalogue are basically applicable to models of following engine numbers. Please consult your local dealers regarding other models and their rigging-parts and accessories.

model	engine number
DF350A	35001F-910001~
DF325A	32501F-910001~
DF300AP	30002P-910001~
DF250AP	25003P-910001~
DF250	25003F-910001~
DF250Z	25003Z-910001~
DF225	22503F-910001~
DF225Z	22503Z-910001~
DF200	20002F-910001~

model	engine number
DF200Z	20002Z-910001~
DF200AP	20003P-910001~
DF200A	20003F-910001~
DF200AZ	20003Z-910001~
DF175AP	17503P-910001~
DF175A	17503F-910001~
DF175AZ	17503Z-910001~
DF150AP	15003P-910001~
DF150A	15003F-910001~

model	engine number
DF150AZ	15003Z-910001~
DF140A	14003F-910001~
DF140AZ	14003Z-910001~
DF115A	11503F-910001~
DF115AZ	11503Z-910001~
DF100A	10003F-910001~
DF100B	10004F-910001~
DF90A	09003F-910001~
DF80A	08002F-910001~

model	engine number
DF70A	07003F-910001~
DF60A	06002F-910001~
DF60AV	06003F-910001~
DF50A	05003F-910001~
DF50AV	05004F-910001~
DF40A	04003F-910001~
DF30A	03003F-910001~
DF25A	02504F-910001~
DF20A	02002F-910001~

TABLE OF CONTENTS

SUZUKI MULTI-FUNCTION DISPLAY	04	ELECTRICAL PARTS	50
SUZUKI MULTI-FUNCTION GAUGE	10	ANODE	51
COMPONENT OF SUZUKI MULTI-FUNCTION GAUGE	24	FUEL SYSTEM	52
SUZUKI KEYLESS START SYSTEM	26	PROPELLER	54
ANALOGUE INSTRUMENT	30	WATERGRIP	56
SUZUKI PRECISION CONTROL	32	PROPELLER LINE-UP	58
COMPONENT OF SUZUKI PRECISION CONTROL	40	CARE & MAINTENANCE ITEM	60
MECHANICAL REMOTE CONTROL SYSTEM	42	SUZUKI MAINTENANCE KITS	62
COMPONENT OF MECHANICAL REMOTE CONTROL SYSTEM	46	SUZUKI COLLECTION	64
STEERING	48	Recommended STEERING SYSTEM	68
		APPLICATION CHART	70



model	engine number
DF15A	01504F-910001~
DF9.9B	00995F-910001~
DF9.9A	00994F-910001~
DF8A	00801F-910001~
DF6A	00603F-910001~
DF5A	00503F-910001~
DF4A	00403F-910001~
DF2.5	00252F-910001~

REFERENCE

Part Number	15-digit alpha-numerical number shows Part Number to be used for ordering.
Gauge Size	Shows the size (2" or 4") of the gauge.
Background	Shows a main color of display panel on the front of a gauge.
Applicable Model	Shows typical or recommended models of ENGINES that RIGGING-PARTS and ACCESSORIES can be installed to.
Maximum Speed	Shows maximum speed that SPEEDOMETER displays.
kph	Kilometers Per Hour
mph	Miles Per Hour
knots	Knots

SUZUKI MULTI-FUNCTION DISPLAY



OPERATION SYSTEMS NEW MULTI-FUNCTION DISPLAY Connected to Earth

The all new Multi-Function Display and its features offers you access to all the information you need to be assured for a comfortable and ultimate boating experience. Coming in 2019.

ULTIMATE CONNECTIVITY

With the Multi-Function Display your boat and engine can now be connected to global weather and be in touch with your surrounding environment, as well as control and operate all your other devices on your boat.

Control at the touch of a finger with the touch screen glass top design. Available in 7", 9", 12" and 16" inch screens.





KEY BENEFIT

The Suzuki Multi-Function Display gives you access to all your Suzuki engine information, so you can easily and quickly see the performance of your outboard/s in one clear view.



DIGITAL SWITCHING






CHART PLOTTER




MULTI BEAM SONAR



RADAR



WEATHER



OPERATION SYSTEMS

NEW MULTI-FUNCTION DISPLAY

Customising your display – SMD16 & SMD12

Big screen navigation for large boats. The 16" and 12" allow you to choose the screen size that best matches your helm or bridge needs. You can build your system with the best sensors and technologies to suit your needs. Coming in 2019.



SMD16




SMD12

RECOMMENDED OPTIONAL INSTRUMENTS FOR MULTI FUNCTION DISPLAY BY **FURUNO**

*Supplied by FURUNO

FISH FINDER



BBDS1 Bottom Discrimination Sounder

- Enhanced detection of fish echoes using FURUNO Digital Filter (FDF™) Fish Finder technology
- Dual frequency, 50 kHz and 200 kHz

DFF1-UHD Network TruEcho CHIRP™ Fish Finder


- TruEcho CHIRP™ technology
- Designed to operate over a broadband range of frequencies utilising a broadband transducer
- Clear presentation separates bottom structure from bottom fish, and bait fish from game fish

DFF3 Network Fish Finder

- Enhanced detection of fish echoes using FURUNO Digital Filter (FDF™) Fish Finder technology
- FURUNO Free Synthesiser transceiver to let you choose any two operating frequencies from 28 to 200 kHz

	BBDS1	DFF1-UHD	DFF3
Display Modes	Single (50 or 200 kHz), Dual (50 and 200 kHz), Bottom-lock, Bottom-Zoom, ACCU-FISH™, Bottom Discrimination, A-scope	Single (high or low frequency), Dual (both high and low frequencies), Bottom-lock, Bottom-Zoom, ACCU-FISH™, Bottom Discrimination, A-Scope	Single (high or low), Dual (high and low), Bottom-lock, Bottom-Zoom, ACCU-FISH™, A-scope * With Transducer (50/200-1T) only.
Range Scale	Max. 1,200 m	Max. 1,200 m	Max. 3,000 m
Power Supply	12-24 VDC, 12 W, 1.1-0.4 A	12-24 VDC, 30 W, 2.8-1.4 A	12-24 VDC, 30 W, 3.5 A
Transducers	600 W/1 kW*, 50/200 kHz * Optional Matching Box, MB-1100 may be required.	1 kW, Broadband transducers 42-65 kHz (low), 130-210 kHz (high)	1/2/3 kW, Frequency: 28, 38, 50, 68, 82, 88, 107, 150, 200 kHz, 50/200 kHz

SONAR



DFF-3D Network Multi Beam Sonar

- Sidebar detection range is up to 200 m in a 120-degree swath port and starboard direction*
- Deep water, main beam penetration directly under the boat is approx. 300 m*

* Maximum depth depending on installation, bottom type and water conditions.

Display Modes	Cross Section, Triple/Single Beam Sounder, Side Scan, 3D Sounder History
Range Scale	Max. 1,200 m
Power Supply	12-24 VDC, 1.4-0.7 A
Transducers	800 W, 2 types (thru-hull and transom mount)


RADAR



DRS4D-NXT/DRS6A-NXT Solid State Radar Sensor

- Solid-State pulse compression Doppler Radar
- Revolutionary Target Analyzer™ function instantly identifies hazardous targets
- Fast Target Tracking™ and Auto Target Acquire function, up to 100 targets
- Bird Mode to find the best fishing grounds by tracking birds

Peak Output Power	Solid-state, 25 W
Type	DRS4D-NXT: ø610 mm Radome (24"), DRS6A-NXT: 1036 mm Open (3.5")/1255 mm Open (4")/1795 mm Open (6")
Antenna Rotation Speed	24*/36/48 rpm range coupled or 24 rpm fixed * In dual range mode, speed is limited to 24 rpm.
Power Supply	12-24 VDC, DRS4D-NXT: 2.5-1.3 A, DRS6A-NXT: 9.5-5.0A



DRS6A X-CLASS Radar Sensor

- Enhanced target detection, both short and long range
- Bird mode helps you identify birds, adjusting the gain and sea settings automatically for optimal visibility
- Fast Target Tracking™, takes only seconds for a speed and course vector to be displayed

Peak Output Power	6 kW
Type	1036 mm Open (3.5")/1255 mm Open (4")/1795 mm Open (6")
Antenna Rotation Speed	24/36/48 rpm range coupled or 24 rpm fixed
Power Supply	24 VDC, 4 A

AIS RECEIVER

FA-30

- Enhances navigation by receiving critical navigation information from local AIS-equipped vessels

Power Supply	12-24 VDC, 1.2-0.6 A
--------------	----------------------

VHF RADIO TELEPHONE

FM-4800 VHF RadioTelephone with built-in AIS Receiver

- Built-in AIS Receiver for situational awareness and collision avoidance
- Built-in 72 channels GPS Receiver
- 25 W/1 W output power
- Class D DSC with Distress, Individual and All Ship calls
- 30 W PA/Loud Hailer with automatic fog signals and listen back

AIS Receiver	Receiving Frequency (CH): 161.975 MHz (AIS1), 162.025 MHz (AIS2)
Output Power	Transmitter: 25 W max., 1 W at power reduction. Loud Hailer/Fog Horn: 30 W max. (4 ohm)
Power Supply	12 VDC (-10% to +30%), 5.0 A max.

SATELLITE COMPASS / HEADING SENSOR

SC-33 Satellite Compass™

- Provides highly accurate heading data for Autopilot, Radar, and Chart Plotter

PG-700 Integrated Heading Sensor

- Provides heading data of high accuracy
- Black box type fluxgate magnetic sensor
- CAN bus interface incorporated

PG-500 Integrated Heading Sensor

- Inexpensive heading sensor with the highest accuracy and stability in this class of equipment
- High stability for a solid-state rate gyroscope

	SC-33	PG-700	PG-500
Heading Accuracy	0.4° rms	±1.0° (horizontal)	±1.0° (horizontal)
Heading Resolution	0.1°	0.1°	0.1°
Port	NMEA2000: 1 Port	CAN bus: 1	Input: 1, Output: 2 ports (one port drives 3 outputs)
Power Supply	12-24 VDC: 0.4-0.2 A, LEN11	12 VDC: 0.1 A (LEN: 3)	12-24 VDC: 120-30 mA



OPERATION SYSTEMS

NEW MULTI-FUNCTION DISPLAY

Customising your display – SMD9 & SMD7

Powerful technology in a compact design that is compact enough to fit on small runabouts and centre consoles. The 9" and 7" touch screens enable you to operate the chart plotter with built-in fish finder at the touch of a finger. Coming in 2019.



SMD9



SMD7

RECOMMENDED OPTIONAL INSTRUMENTS FOR MULTI FUNCTION DISPLAY BY **FURUNO**

*Supplied by FURUNO

RADAR



DRS4W 1st Watch Wireless Radar

- 4 kW Radar antenna, powerful yet compact in size
- Wireless LAN, no extra wiring needed except the power source, making installation a breeze.



Peak Output Power	4 kW
Type	ø488 mm Radome (19")
Antenna Rotation Speed	24 rpm
Power Supply	12-24 VDC, 2.1-1.0 A max.

AIS RECEIVER



FA-30

- Enhances navigation by receiving critical navigation information from local AIS-equipped vessels

Power Supply	12-24 VDC, 1.2-0.6 A
--------------	----------------------

VHF RADIO TELEPHONE

FM-4800 VHF RadioTelephone with built-in AIS Receiver

- Built-in AIS Receiver for situational awareness
- Built-in 72 channels GPS Receiver
- 25 W/1 W output power
- Class D DSC with Distress, Individual and All Ship calls
- 30 W PA/Loud Hailer with automatic fog signals and listen back



AIS Receiver	Receiving Frequency (CH): 161.975 MHz (AIS1), 162.025 MHz (AIS2)
Output Power	Transmitter: 25 W max., 1 W at power reduction. Loud Hailer/Fog Horn: 30 W max. (4 ohm)
Power Supply	12 VDC (-10% to +30%), 5.0 A max.

SATELLITE COMPASS / HEADING SENSOR



SC-33 Satellite Compass™

- Provides highly accurate heading data for Autopilot, Radar, and Chart Plotter



PG-700 Integrated Heading Sensor

- Provides heading data of high accuracy
- Black box type fluxgate magnetic sensor
- CAN bus interface incorporated



PG-500 Integrated Heading Sensor

- Inexpensive heading sensor with the highest accuracy and stability in this class of equipment
- High stability for a solid-state rate gyroscope

	SC-33	PG-700	PG-500
Heading Accuracy	0.4° rms	±1.0° (horizontal)	±1.0° (horizontal)
Heading Resolution	0.1°	0.1°	0.1°
Port	NMEA2000: 1 PortNMEA2000: 1 Port	CAN bus: 1	Input: 1, Output: 2 ports (one port drives 3 outputs)
Power Supply	12-24 VDC: 0.4-0.2 A, LEN11	12 VDC: 0.1 A (LEN: 3)	12-24 VDC: 120-30 mA

OPERATION SYSTEMS GAUGES

Multi-Function Gauge – SMG4


When you're on the water, it's vital that you can get the information you need, about your engine's condition and performance whenever you need it. That's exactly the thinking behind our Suzuki Multi-Function Gauge.

ALL THE INFORMATION IN ONE PLACE

This brilliantly simple technology gives you the right information, at the right time, all on one user friendly, highly intuitive screen. You can view a wide range of important information, including engine rpm, speed and trim angle, as well as engine temp and fuel economy in 13 different measurement units, and total fuel flow for multiple engine installations. You'll also receive alerts from the engine's sensors and warning systems.

All you need for effortless and relaxing boating, in one simple, reassuring and reliable device.

ANALOGUE TACHO & SPEED MODE



TACHO MODE



DISPLAY MODES

You can operate your Multi-Function Gauge in either digital or analogue display mode, depending on which you prefer. Plus the day and night settings

mean you can use it at literally any time. You can also zoom in on individual elements of the display, making it even easier to use.

ANALOGUE TACHO & SPEED MODE



ANALOGUE SPEED MODE (NIGHT)



ANALOGUE TACHO MODE



DIGITAL TACHO & SPEED MODE



DIGITAL TACHO MODE (NIGHT)



FUEL MODE



TROLL MODE

NEW TROLL MODE FUNCTION

- Allows you to control your troll mode from the Multi-Function Gauge.

This function is available from year 2019 models. Can only be used by models which are adapted to troll mode.





OPERATION SYSTEMS DIAGNOSTIC MOBILE APP New advanced service tool

Our new Suzuki Diagnostic System Mobile (SDS Mobile) App lets you send your Suzuki Authorised Dealer all the technical information they need to service and maintain your outboard, instantly and easily.

SDS Mobile works in tandem with our new Multi-Function Gauge and new Multi-Function Display. Simply download the App, which is available on iOS and Android, to your smartphone: you don't need a separate device.

When you email your QR code to the Dealer the data will be transferred directly - including engine number, number of hours since the last oil change and total hours of operation at different rpm.



DOWNLOAD THE APP FROM:




Apple and the Apple logo are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc., registered in the U.S. and other countries.



Google Play and the Google Play logo are trademarks of Google LLC.

SDS Mobile App and email service is entirely free of charge.




HOW IT WORKS

1. The Outboard sends engine data and converts it into a QR code displayed on the Multi-Function Gauge or Multi-Function Display.
2. With the SDS Mobile App, you can then scan the QR code on the Multi-Function Gauge or Multi-Function Display with your phone. The engine data will be stored on your smartphone.
3. You can then send the engine data via email to your Suzuki Dealer.

SUZUKI MULTI-FUNCTION GAUGE

SUZUKI MULTI-FUNCTION GAUGE for MECHANICAL SINGLE



- Basic Kit
34000-96L43-000 **A. GAUGE KIT**
- When using GPS module (or water speed)
34000-96L43-000 **A. GAUGE KIT**
+336001-88L00-000 **B. CABLE KIT**

+990C0-88122-000 GPS Receiver Module
(990C0-88317-000 When using Water Speed)

+

- When using DF9.9B-DF30A
36660-89L02-000

Basic Component

- 1** MULTI-FUNCTION GAUGE
- 4** EXTENSION CABLE
- 5** POWER CABLE WITH T-CONNECTOR
- 6** T-CONNECTOR
- 7** TERMINATOR FEMALE




- 8** TERMINATOR MALE
- 11** GAUGE ADAPTER
- 13A** SPEED SENSOR WITH T-CONNECTOR
- 13B** GPS RECEIVER MODULE WITH T-CONNECTOR



SUZUKI MULTI-FUNCTION GAUGE for MECHANICAL SINGLE				KIT		Total Required Quantity
PART NUMBER	PART NAME	LENGTH		A. GAUGE KIT 34000-96L43-000	B. CABLE KIT 36001-88L00-000	
1 34011-96L13-000	MULTI-FUNCTION GAUGE	-		1	-	1
4 990C0-88104-000 990C0-88105-000	EXTENSION CABLE	0.6m 1.8m		- -	1 -	(1)
5 990C0-88112-000	POWER CABLE WITH T-CONNECTOR	-		-	1	(1)
6 990C0-88110-000	T-CONNECTOR	-		-	1	(1)
7 990C0-88113-000	TERMINATOR FEMALE	-		-	1	(1)
8 990C0-88114-000	TERMINATOR MALE	-		-	1	(1)
11 36661-96L30-000	GAUGE ADAPTER	-		1	-	1
13A 990C0-88317-000	SPEED SENSOR WITH T-CONNECTOR	-		-	-	(1)
13B 990C0-88122-000	GPS RECEIVER MODULE WITH T-CONNECTOR	-		-	-	(1)
17 36660-89L02-000	SMFG, ADAPTER	-		-	-	<1>

- *()parts are required when using GPS module or water speed.
- *< >part are required when using with DF9.9B to 30A.

SUZUKI MULTI-FUNCTION GAUGE for MECHANICAL DUAL



- Basic Kit
34000-96L52-000 **A. GAUGE KIT**
- When using GPS module
34000-96L52-000 **A. GAUGE KIT**
990C0-88122-000 GPS. Receiver Module
(990C0-88317-000 When using Water Speed)

Basic Component

In addition to component of
[MECHANICAL SINGLE]

- 2** GAUGE ADAPTER
FOR MULTIPLE SMFG




SUZUKI MULTI-FUNCTION GAUGE for MECHANICAL DUAL				KIT	Total Required Quantity
PART NUMBER	PART NAME	LENGTH	A. GAUGE KIT	34000-96L52-000	A (- 13)
1 34011-96L13-000	MULTI-FUNCTION GAUGE	-	2	2	2
2 36665-87L00-000	GAUGE ADAPTER FOR MULTIPLE SMFG	-	1	1	1
4 990C0-88104-000	EXTENSION CABLE	0.6m	2	2	2
990C0-88105-000		1.8m	-	-	-
5 990C0-88112-000	POWER CABLE WITH T-CONNECTOR	-	1	1	1
6 990C0-88110-000	T-CONNECTOR	-	2	2	2
7 990C0-88113-000	TERMINATOR FEMALE	-	1	1	1
8 990C0-88114-000	TERMINATOR MALE	-	1	1	1
11 36661-96L30-000	GAUGE ADAPTER	-	2	2	2
13A 990C0-88317-000	SPEED SENSOR WITH T-CONNECTOR	-	-	-	(1)
13B 990C0-88122-000	GPS RECEIVER MODULE WITH T-CONNECTOR	-	-	-	(1)

■ *() parts are required when using GPS module or water speed.


ADDITIONAL GAUGE COMPONENTS				Total Required
PART NUMBER	PART NAME	LENGTH		
1 34011-96L13-000	MULTI-FUNCTION GAUGE	-	1	1
4 990C0-88104-000	EXTENSION CABLE	0.6m	1	1
990C0-88105-000		1.8m	-	-
6 990C0-88110-000	T-CONNECTOR	-	1	1
14 36667-96L11-000	GAUGE ADAPTER WIRE	-	1	1
16 36667-96L20-000	GAUGE EXTENSION WIRE	-	-	-

Please use "36667-96L20-000 GAUGE EXTENSION WIRE" as an extension between "34011-96L13-000" and "36667-96L11-000"




100

SINGLE STATION



DUAL STATION



In addition to component of [SINGLE STATION]

3 GAUGE EXT WIRE



TOTAL REQUIREMENT LIST

SUZUKI MULTI-FUNCTION GAUGE for SUZUKI PRECISION CONTROL (S.P.C) SINGLE		Total Required Quantity					
		SINGLE STATION	SINGLE STATION (Using Water Speed)	SINGLE STATION (Using GPS module)	DUAL STATION	DUAL STATION (Using Water Speed)	DUAL STATION (Using GPS module)
PART NUMBER	PART NAME						
34000-96L63-000	GAUGE KIT	1	1	1	1	1	1
36001-88L00-000	CABLE KIT	-	1	1	1	1	1
34002-96L13-000	DUAL STATION KIT	-	-	-	1	1	1
9	990C0-88107-000	EXTENSION CABLE	-	-	-	1	1
	990C0-88108-000						
13A	990C0-88317-000	SPEED SENSOR WITH T-CONNECTOR	-	1	-	-	1
13B	990C0-88122-000	GPS RECEIVER MODULE WITH T-CONNECTOR	-	-	1	-	1

COMPONENT LIST

KIT COMPONENT				KIT		
				GAUGE KIT	CABLE KIT	DUAL STATION KIT
	PART NUMBER	PART NAME	LENGTH	34000-96L63-000	36001-88L00-000	34002-96L13-000
1	34011-96L13-000	MULTI-FUNCTION GAUGE	-	1	-	1
3	36682-92E00-000	GAUGE EXT WIRE	6.4m	-	-	1
4	990C0-88104-000	EXTENSION CABLE	0.6m	-	1	1
5	990C0-88112-000	POWER CABLE WITH T-CONNECTOR	-	-	1	-
6	990C0-88110-000	T-CONNECTOR	-	-	1	1
7	990C0-88113-000	TERMINATOR FEMALE	-	-	1	-
8	990C0-88114-000	TERMINATOR MALE	-	-	1	-
10	36666-96L00-000	GAUGE POWER ADAPTER	-	-	-	1
11	36661-96L20-000	GAUGE ADAPTER	-	1	-	-
15	36665-96L00-000	GAUGE DUAL STATION ADAPTER	-	-	-	1

Optional Component list

4	990C0-88105-000	EXTENSION CABLE	1.8m
9	990C0-88107-000	EXTENSION CABLE	4.7m
9	990C0-88108-000	EXTENSION CABLE	7.6m
13A	990C0-88317-000	SPEED SENSOR WITH T-CONNECTOR	
13B	990C0-88122-000	GPS RECEIVER MODULE WITH T-CONNECTOR	

Component Parts

- 1 MULTI-FUNCTION GAUGE
- 4 EXTENSION CABLE
- 5 POWER CABLE WITH T-CONNECTOR
- 6 T-CONNECTOR
- 7 TERMINATOR FEMALE




- 8 TERMINATOR MALE
- 11 GAUGE ADAPTER
- 13A SPEED SENSOR WITH T-CONNECTOR
- 13B GPS RECEIVER MODULE WITH T-CONNECTOR



SUZUKI MULTI-FUNCTION GAUGE

SUZUKI MULTI-FUNCTION GAUGE for SUZUKI PRECISION CONTROL DUAL



TOTAL REQUIREMENT LIST

SUZUKI MULTI-FUNCTION GAUGE for SUZUKI PRECISION CONTROL (S.P.C) DUAL		Total Required Quantity					
PART NUMBER	PART NAME	SINGLE STATION	SINGLE STATION (Using Water Speed)	SINGLE STATION (Using GPS module)	DUAL STATION	DUAL STATION (Using Water Speed)	DUAL STATION (Using GPS module)
34000-96L73-000	GAUGE KIT	1	1	1	1	1	1
34002-96L13-000	DUAL STATION KIT	-	-	-	1	1	1
1	34011-96L13-000 MULTI-FUNCTION GAUGE	-	-	-	1	1	1
4	990C0-88104-000 EXTENSION CABLE	-	-	-	1	1	1
6	990C0-88110-000 T-CONNECTOR	-	-	-	1	1	1
9	990C0-88107-000 EXTENSION CABLE	-	-	-	1	1	1
13A	990C0-88317-000 SPEED SENSOR WITH T-CONNECTOR	-	1	-	-	1	-
13B	990C0-88122-000 GPS RECEIVER MODULE WITH T-CONNECTOR	-	-	1	-	-	1
14	36667-96L11-000 GAUGE ADAPTER WIRE	-	-	-	1	1	1
15	36665-96L00-000 GAUGE DUAL STATION ADAPTER	-	-	-	1	1	1

COMPONENT LIST

KIT COMPONENT				KIT	
	PART NUMBER	PART NAME	LENGTH	GAUGE KIT	DUAL STATION KIT
				34000-96L73-000	34002-96L13-000
1	34011-96L13-000	MULTI-FUNCTION GAUGE	-	2	1
3	36682-92E00-000	GAUGE EXT WIRE	6.4m	-	1
4	990C0-88104-000	EXTENSION CABLE	0.6m	2	1
5	990C0-88112-000	POWER CABLE WITH T-CONNECTOR	-	1	-
6	990C0-88110-000	T-CONNECTOR	-	2	1
7	990C0-88113-000	TERMINATOR FEMALE	-	1	-
8	990C0-88114-000	TERMINATOR MALE	-	1	-
10	36666-96L00-000	GAUGE POWER ADAPTER	-	-	1
11	36661-96L20-000	GAUGE ADAPTER	-	1	-
12A	36667-96L00-000	DUAL GAUGE ADAPTER WIRE	-	1	-
15	36665-96L00-000	GAUGE DUAL STATION ADAPTER	-	-	1

Optional Component list


4	990C0-88105-000	EXTENSION CABLE	1.8m
9	990C0-88107-000	EXTENSION CABLE	4.7m
	990C0-88108-000	EXTENSION CABLE	7.6m
12B	36667-96L30-000	DUAL GAUGE ADAPTER WIRE (For Tank 3-4)	
13A	990C0-88317-000	SPEED SENSOR WITH T-CONNECTOR	
13B	990C0-88122-000	GPS RECEIVER MODULE WITH T-CONNECTOR	
14	36667-96L11-000	GAUGE ADAPTER WIRE	

Component Parts

1 MULTI-FUNCTION GAUGE	4 EXTENSION CABLE	5 POWER CABLE WITH T-CONNECTOR	6 T-CONNECTOR	7 TERMINATOR FEMALE
				
8 TERMINATOR MALE	11 GAUGE ADAPTER	13A SPEED SENSOR WITH T-CONNECTOR	13B GPS RECEIVER MODULE WITH T-CONNECTOR	
				

SUZUKI MULTI-FUNCTION GAUGE

SUZUKI MULTI-FUNCTION GAUGE for SUZUKI PRECISION CONTROL TRIPLE



TOTAL REQUIREMENT LIST

SUZUKI MULTI-FUNCTION GAUGE for SUZUKI PRECISION CONTROL (S.P.C) TRIPLE		Total Required Quantity					
PART NUMBER	PART NAME	SINGLE STATION	SINGLE STATION (Using Water Speed)	SINGLE STATION (Using GPS module)	DUAL STATION	DUAL STATION (Using Water Speed)	DUAL STATION (Using GPS module)
34000-96L73-000	GAUGE KIT	1	1	1	1	1	1
34002-96L13-000	DUAL STATION KIT	-	-	-	1	1	1
1	34011-96L13-000 MULTI-FUNCTION GAUGE	1	1	1	3	3	3
4	990C0-88104-000 EXTENSION CABLE	1	1	1	3	3	3
6	990C0-88110-000 T-CONNECTOR	1	1	1	3	3	3
9	990C0-88107-000 EXTENSION CABLE	-	-	-	1	1	1
13A	990C0-88317-000 SPEED SENSOR WITH T-CONNECTOR	-	1	-	-	1	-
13B	990C0-88122-000 GPS RECEIVER MODULE WITH T-CONNECTOR	-	-	1	-	-	1
14	36667-96L11-000 GAUGE ADAPTER WIRE	-	-	-	2	2	2
15	36665-96L00-000 GAUGE DUAL STATION ADAPTER	-	-	-	1	1	1

COMPONENT LIST

KIT COMPONENT				KIT	
	PART NUMBER	PART NAME	LENGTH	A. GAUGE KIT	B. DUAL STATION KIT
				34000-96L73-000	34002-96L13-000
1	34011-96L13-000	MULTI-FUNCTION GAUGE	-	2	1
3	36682-92E00-000	GAUGE EXT WIRE	6.4m	-	1
4	990C0-88104-000	EXTENSION CABLE	0.6m	2	1
5	990C0-88112-000	POWER CABLE WITH T-CONNECTOR	-	1	-
6	990C0-88110-000	T-CONNECTOR	-	2	1
7	990C0-88113-000	TERMINATOR FEMALE	-	1	-
8	990C0-88114-000	TERMINATOR MALE	-	1	-
10	36666-96L00-000	GAUGE POWER ADAPTER	-	-	1
11	36661-96L20-000	GAUGE ADAPTER	-	1	-
12A	36667-96L00-000	DUAL GAUGE ADAPTER WIRE	-	1	-
15	36665-96L00-000	GAUGE DUAL STATION ADAPTER	-	-	1

Optional Component list


4	990C0-88105-000	EXTENSION CABLE	1.8m
9	990C0-88107-000	EXTENSION CABLE	4.7m
	990C0-88108-000	EXTENSION CABLE	7.6m
12B	36667-96L30-000	DUAL GAUGE ADAPTER WIRE (For Tank 3-4)	
13A	990C0-88317-000	SPEED SENSOR WITH T-CONNECTOR	
13B	990C0-88122-000	GPS RECEIVER MODULE WITH T-CONNECTOR	
14	36667-96L11-000	GAUGE ADAPTER WIRE	

Component Parts

1	MULTI-FUNCTION GAUGE	4	EXTENSION CABLE	5	POWER CABLE WITH T-CONNECTOR	6	T-CONNECTOR	7	TERMINATOR FEMALE
									
8	TERMINATOR MALE	11	GAUGE ADAPTER	13A	SPEED SENSOR WITH T-CONNECTOR	13B	GPS RECEIVER MODULE WITH T-CONNECTOR		
									

SUZUKI MULTI-FUNCTION GAUGE

SUZUKI MULTI-FUNCTION GAUGE for SUZUKI PRECISION CONTROL QUADRUPLE



TOTAL REQUIREMENT LIST

SUZUKI MULTI-FUNCTION GAUGE for SUZUKI PRECISION CONTROL (S.P.C) QUADRUPLE		Total Required Quantity					
PART NUMBER	PART NAME	SINGLE STATION	SINGLE STATION (Using Water Speed)	SINGLE STATION (Using GPS module)	DUAL STATION	DUAL STATION (Using Water Speed)	DUAL STATION (Using GPS module)
34000-96L73-000	GAUGE KIT	1	1	1	1	1	1
34002-96L13-000	DUAL STATION KIT	-	-	-	1	1	1
1 34011-96L13-000	MULTI-FUNCTION GAUGE	2	2	2	5	5	5
2 36665-87L00-000	GAUGE ADAPTER FOR MULTIPLE SMFG	1	1	1	1	1	1
3 36682-92E00-000	GAUGE EXT WIRE	-	-	-	1	1	1
4 990C0-88104-000	EXTENSION CABLE	2	2	2	5	5	5
6 990C0-88110-000	T-CONNECTOR	2	2	2	5	5	5
9 990C0-88107-000	EXTENSION CABLE	-	-	-	1	1	1
990C0-88108-000		-	-	-	-	-	-
11 36661-96L20-000	GAUGE ADAPTER	1	1	1	1	1	1
12A 36667-96L00-000	DUAL GAUGE ADAPTER WIRE	1	1	1	1	1	1
13A 990C0-88317-000	SPEED SENSOR WITH T-CONNECTOR	-	1	-	-	1	-
13B 990C0-88122-000	GPS RECEIVER MODULE WITH T-CONNECTOR	-	-	1	-	-	1
15 36665-96L00-000	GAUGE DUAL STATION ADAPTER	-	-	-	1	1	1

COMPONENT LIST

KIT COMPONENT				KIT	
				GAUGE KIT	DUAL STATION KIT
	PART NUMBER	PART NAME	LENGTH	34000-96L73-000	34002-96L13-000
1	34011-96L13-000	MULTI-FUNCTION GAUGE	-	2	1
3	36682-92E00-000	GAUGE EXT WIRE	6.4m	-	1
4	990C0-88104-000	EXTENSION CABLE	0.6m	2	1
5	990C0-88112-000	POWER CABLE WITH T-CONNECTOR	-	1	-
6	990C0-88110-000	T-CONNECTOR	-	2	1
7	990C0-88113-000	TERMINATOR FEMALE	-	1	-
8	990C0-88114-000	TERMINATOR MALE	-	1	-
10	36666-96L00-000	GAUGE POWER ADAPTER	-	-	1
11	36661-96L20-000	GAUGE ADAPTER	-	1	-
12A	36667-96L00-000	DUAL GAUGE ADAPTER WIRE	-	1	-
15	36665-96L00-000	GAUGE DUAL STATION ADAPTER	-	-	1


Optional Component list

2	36665-87L00-000	GAUGE ADAPTER FOR MULTIPLE SMFG	
4	990C0-88105-000	EXTENSION CABLE	1.8m
9	990C0-88107-000	EXTENSION CABLE	4.7m
	990C0-88108-000	EXTENSION CABLE	7.6m
12B	36667-96L30-000	DUAL GAUGE ADAPTER WIRE (For Tank 3-4)	
13A	990C0-88317-000	SPEED SENSOR WITH T-CONNECTOR	
13B	990C0-88122-000	GPS RECEIVER MODULE WITH T-CONNECTOR	

Component Parts

1	MULTI-FUNCTION GAUGE	4	EXTENSION CABLE	5	POWER CABLE WITH T-CONNECTOR	6	T-CONNECTOR	7	TERMINATOR FEMALE
									
8	TERMINATOR MALE	11	GAUGE ADAPTER	13A	SPEED SENSOR WITH T-CONNECTOR	13B	GPS RECEIVER MODULE WITH T-CONNECTOR		
									

COMPONENT OF SUZUKI MULTI-FUNCTION GAUGE



POWER CABLE

GAUGE ADAPTER



36661-96L30-000

36661-96L20-000

GAUGE EXT WIRE



36682-92E00-000

6.4m

36666-96L00-000

GAUGE POWER ADAPTER

GAUGE ADAPTER



36665-87L00-000

For using multiple SMFGs

36665-96L00-000

DUAL STATION ADAPTER



DUAL GAUGE ADAPTER WIRE

36667-96L00-000

36667-96L30-000


(For Tank 3-4)

GAUGE ADAPTER WIRE

36667-96L11-000

GAUGE EXTENSION WIRE

36667-96L20-000



CONNECTION HARDWARE

NMEA2000® compatible sensors or other devices are able to use by the use of T-connectors throughout the system.

EXTENSION CABLE



990C0-88104-000

0.6 meters

990C0-88105-000

1.8 meters

990C0-88107-000

4.6 meters

990C0-88108-000

7.6 meters

POWER CABLE WITH T-CONNECTOR



990C0-88112-000

The fused (3A) lead connects the extension cable to the power source.

T-CONNECTOR



990C0-88110-000

T-connectors link all compatible cables, data and sensor devices, and can be easily secured.

TERMINATOR FEMALE



990C0-88113-000


120-ohm terminators are required for any open cable ends in the system.

TERMINATOR MALE



990C0-88114-000

T-connectors link all compatible cables, data and sensor devices, and can be easily secured.



SENSORS

SPEED SENSOR WITH T-CONNECTOR



990C0-88317-000

Paddle wheel-type speed sensor. 10ft cable.

GPS RECEIVER MODULE WITH T-CONNECTOR



990C0-88122-000

Displays the accurate location and speed on Multi-Function Gauges.

SUZUKI KEYLESS START SYSTEM

HIGH SECURITY

- Suzuki original engine starting system features an **immobilizer** function for added peace of mind. IC access codes installed in the key-fob and engine must match for the engine to start. This prevents starting the engine with the wrong key making the system a good theft deterrent as well.



EASY OPERATION


- Suzuki original engine starting system offers a variety of functions. The key-fob is easy to carry and one is all you need to enjoy stress-free starts for greater boating pleasure.
- One step ahead of the competition, the Suzuki Keyless Start System requires no mechanical key so the key-fob remains safely in your pocket.

WATERPROOF FLOAT KEY-FOB

- The easy to carry key-fob remains safely in your pocket reducing risk of a lost key. The key-fob is waterproof and floats so should it ever go overboard it is retrievable.



Find out more by
watching our videos



Basic Component

1 MAIN SWITCH
PANEL



2 BUZZER



3 KEYLESS CONTROL
UNIT



4 KEYLESS FOB



5 KEYLESS CONTROL
HARNESS



6 KEYLESS CAN
HARNESS



7 CAN EXTENSION
HARNESS



8 KEYLESS RELAY ASSY



9 KEYLESS PARTS
HOLDER



10 KEYLESS CONTROL
UNIT HOLDER




11 CUSHION



Refer to the next page for details

SUZUKI KEYLESS START SYSTEM

SUZUKI KEYLESS START SYSTEM for SUZUKI PRECISION CONTROL (S.P.C)




Basic Component



SUZUKI KEYLESS START SYSTEM for SUZUKI PRECISION CONTROL (S.P.C)				KIT		Total Required Quantity			
				CONTROLLER SET	HARNESS SET	SINGLE	DUAL	TRIPLE	QUAD
				37170-96L03-000	37105-96L02-000				
	PART NUMBER	PART NAME	LENGTH						
1	37100-96L01-000	MAIN SWITCH PANEL	-	-	-	1	1	1	1
2	38500-93J90-000	BUZZER	-	-	1	1	1	1	1
3	37171-96L02-000	KEYLESS CONTROL UNIT	-	1	-	1	1	1	1
4	37172-96L01-000	KEYLESS FOB	-	2	-	2	2	2	2
5	36623-96L01-000	KEYLESS CONTROL HARNESS	-	-	1	1	1	1	1
6	36662-96L00-000	KEYLESS CAN HARNESS	6.5	-	1	1	1	1	1
7	36664-96L00-000	CAN EXTENSION HARNESS	0.8	-	-	-	1	2	3
8	38860-96L00-000	KEYLESS RELAY ASSY	-	-	1	1	1	1	1
9	37173-96L10-000	KEYLESS PARTS HOLDER	-	-	1	1	1	1	1
10	32980-38F00-000	KEYLESS CONTROLL UNIT HOLDER	-	-	1	1	1	1	1
11	32851-93J00-000	CUSHION	-	-	1	1	1	1	1
-	09407-14407-000	KEYLESS HARNESS CLAMP	-	-	1	1	1	1	1
-	37117-96L00-000	KEYLESS DECAL	-	2	-	-	-	-	-

■ 37170-96L03-000 (433.92MHz)

SUZUKI KEYLESS START SYSTEM for MECHANICAL REMOTE CONTROL SYSTEM



- 6** KEYLESS CAN HARNESS **7** CAN EXTENSION HARNESS **8** KEYLESS RELAY ASSY **9** KEYLESS PARTS HOLDER **10** KEYLESS CONTROL UNIT HOLDER **11** CUSHION



SUZUKI KEYLESS START SYSTEM for MECHANICAL REMOTE CONTROL SYSTEM				KIT		Total Required Quantity	
				CONTROLLER SET	HARNESS SET		
	PART NUMBER	PART NAME	LENGTH	37170-96L03-000	37105-96L10-000	SINGLE	DUAL
1	37100-96L11-000	MAIN SWITCH PANEL	-	-	-	1	-
	37100-96L21-000		-	-	-	-	1
2	38500-93J90-000	BUZZER	-	-	1	1	1
3	37171-96L02-000	KEYLESS CONTROL UNIT	-	1	-	1	1
4	37172-96L01-000	KEYLESS FOB	-	2	-	2	2
5	36623-96L10-000	KEYLESS CONTROL HARNESS	-	-	1	1	1
6	36662-96L10-000	KEYLESS CAN HARNESS	6.5	-	1	1	1
7	36664-96L00-000	CAN EXTENSION HARNESS	0.8	-	-	-	1
8	38860-96L00-000	KEYLESS RELAY ASSY	-	-	1	1	1
9	37173-96L10-000	KEYLESS PARTS HOLDER	-	-	1	1	1
-	36621-96L00-000	KEYLESS HARNESS DUAL ENGINE	-	-	-	-	1
-	36663-96L10-000	KEYLESS CAN EXTENSION HARNESS	2.0	-	-	-	1
10	32980-38F00-000	KEYLESS CONTROL UNIT HOLDER	-	-	1	1	1
11	32851-93J00-000	CUSHION	-	-	1	1	1
-	37117-96L00-000	KEYLESS DECAL	-	2	-	-	-

■ 37170-96L03-000 (433.92MHZ)

TACHOMETER



White



Black



White



Black



White



Black

34200-93J14-000 (White)

34200-93J02-000 (Black)

Gauge Size 4"

Applicable Model DF25A-250

Caution system alert with a monitor lamp lighting on when an abnormal engine condition occurs. Refer to SERVICE MANUAL for the detail.

Caution lamp Caution type

CHECK ENGINE Low battery-voltage or other cautions on S.D.S

TEMP Overheat (Over-revolution)

34200-93J51-000 (White)

34200-93J40-000 (Black)

Gauge Size 4"

Applicable Model DF40A-200A

Exclusive for SUZUKI Troll Mode System. Automatically switches to low RPM scale when the SUZUKI Troll Mode System is activated.

Caution lamp Caution type

OIL Low oil-pressure (Over-revolution)
Oil change reminder

REV LIMIT Over-revolution

34200-93J34-000 (White)

34200-93J22-000 (Black)

Gauge Size 4"

Applicable Model DF8A-20A

Full-scale 7000-RPM TACHOMETER can be used on electric-start models by using 4, 6 or 12 pole switch on rear of meter.

TRIM GAUGE



White

Black

34800-93J13-000 (White)

34800-93J00-000 (Black)

Gauge Size 2"

Applicable Model DF25A-250

Magnetic-type gauge shows trim angle for optimum performance and efficiency.

FUEL GAUGE



White

Black

34300-93J13-000 (White)

34300-93J02-000 (Black)

Gauge Size 2"

Applicable Model DF8A-DF250

FUEL GAUGE alone works with the US Standard 250Ω sending unit. Use the 150Ω adaptor to connect the gauge to a European standard sending unit.

HOUR METER



White

Black

34500-93J13-000 (White)

34500-93J00-000 (Black)

Gauge Size 2"

Applicable Model DF8A-250

12-Volt-electric-motor driven meter indicates hours that your SUZUKI OUTBOARD MOTOR has been operated in order for you to know when each periodic service is required.

VOLTMETER



White

Black

34600-93J13-000 (White)

34600-93J02-000 (Black)

Gauge Size 2"

Applicable Model DF8A-250

To help your SUZUKI OUTBOARD MOTOR run at its best, monitor the charging system functioning with a VOLTMETER.

WATER-PRESSURE GAUGE



White

Black

34650-93J33-000 (White)

34650-93J20-000 (Black)

Gauge Size 2"

Applicable Model DF40A-250

Bourdon-tube type gauge measures cooling-water pressure. Select an appropriate INSTALLATION KIT for each model.



SPEEDOMETER



White



Black

(White) **34100-93J13-000** (Black) **34100-93J02-000**

Gauge Size 4"

Maximum Speed 130km/h, 80mph

Bourdon-tube type speedometer with readings in km/h and mph. Includes vinyl tube, hardware and installation manual.



White



Black

(White) **34100-93J33-000** (Black) **34100-93J22-000**

Gauge Size 4"

Maximum Speed 80km/h, 50mph

Bourdon-tube type speedometer with readings in km/h and mph. Includes vinyl tube, hardware and installation manual.



White



Black

(White) **34100-93J53-000** (Black) **34100-93J40-000**

Gauge Size 4"

Maximum Speed 80km/h, 45knots

Bourdon-tube type speedometer with readings in km/h and knots. Includes vinyl tube, hardware and installation manual.



34100-93J62-000

Gauge Size 4"

Background White

Maximum Speed 120km/h, 65knots

Bourdon-tube type speedometer with readings in km/h and knots. Includes vinyl tube, hardware and installation manual.

SPEEDOMETER SENDER ASSY



34190-95500-000



34190-87D00-000

INSTALLATION KIT for WATER-PRESSURE GAUGE



34660-90J02-000

Applicable Model DF40A-140A

34660-93J00-000

Applicable Model DF200-250



KIT includes fittings and hoses needed for motor to gauge connection.

34660-96J00-000

Applicable Model DF150-175/200A

SUZUKI PRECISION CONTROL

REMOTE-CONTROL KIT for SINGLE ENGINE



 REMOTE-CONTROL KIT for SINGLE ENGINE				KIT				Total Required Quantity	
				1st Station		2nd Station		SINGLE STATION	DUAL STATION
				67000-98JE4-000	67000-98JM2-000	67000-98JE4-000	67000-98JE4-000		
	PART NUMBER	PART NAME	LENGTH	BINNACLE-MOUNT CONTROL KIT	FLUSH-MOUNT CONTROL KIT	2ND-STATION BINNACLE-MOUNT CONTROL KIT	2ND-STATION FLUSH-MOUNT CONTROL KIT		
1	67200-98J04-000	BINNACLE MOUNT R/C BOX		1	-	1	-	1	2
	67200-98J23-000	FLUSH MOUNT R/C BOX		-	1	-	1		
2	37100-98J11-000	CONTROL PANEL		1	1	1	1	1	2
3	37100-98J05-000	MAIN SWITCH PANEL		1	1	-	-	1	1
4	37860-87L00-000	TROLL MODE SWITCH PANEL		1	1	1	1	1	2
5	38500-93J90-000	BUZZER		1	1	1	1	1	2
	09407-08401-000	BUZZER CLAMP		1	1	1	1	1	2
	36770-98J13-000	BOAT CONTROL MODULE		1	1	1	1	1	2
	36775-98J00-000	BCM HOLDER (L)		1	1	1	1	1	2
	36776-98J00-000	BCM HOLDER (R)		1	1	1	1	1	2
	33911-88BL0-000	BCM CONNECT CAP		1	1	1	1	1	2
	33925-93J00-000	BCM CUSHION		1	1	1	1	1	2
	33926-98J00-000	TERMINAL RESISTOR		2	2	-	-	2	2
8	36625-98J10-000	BATTERY LEAD		1	1	-	-	1	1
9	36623-98J20-000	BCM #1 WIRING HARNESS		1	1	-	-	1	1
10	36622-98J00-000	DUAL-STATION WIRING HARNESS		-	-	1	1	-	1
11	36624-98J02-000	BCM #2 WIRING HARNESS		-	-	1	1	-	1
12	37803-93J05-000	EMERGENCY SWITCH PANEL		-	-	1	1	-	1
-	09403-13402-000	HARNESS CLAMP		10	10	10	10	-	-
	36620-98J30-000	MAIN WIRING HARNESS	6.5m	-	-	-	-		
*13	36620-98J41-000	MAIN WIRING HARNESS	9.5m	-	-	-	-	1	2
	36620-98J50-000	MAIN WIRING HARNESS EXTENSION	2.0m	-	-	-	-	-	

*13 is not included in these kits.
Please purchase these items separately.

Basic Component

1 R/C BOX
BINNACLE MOUNT R/C BOX



FLUSH MOUNT R/C BOX



2 CONTROL PANEL



3 MAIN SWITCH PANEL

(for KEYLESS START SYSTEM)



4 TROLL MODE SWITCH PANEL



5 BUZZER



6 BOAT CONTROL MODULE

BCM HOLDER (L)
BCM HOLDER (R)



BCM CONNECT CAP



BCM CUSHION



7 TERMINAL RESISTOR



8 BATTERY LEAD



9 BCM #1 WIRING HARNESS



10 DUAL-STATION WIRING HARNESS



11 BCM #2 WIRING HARNESS



12 EMERGENCY SWITCH PANEL




13 MAIN WIRING HARNESS



MAIN WIRING HARNESS EXTENSION



100




- | | | | | | | | |
|----------|-----------------------------------|----------|---------------|-----------|---------------------------|-----------|--------------------------|
| 1 | R/C BOX
BINNACLE MOUNT R/C BOX | 2 | CONTROL PANEL | 12 | EMERGENCY SWITCH
PANEL | 14 | ENGINE WIRING
HARNESS |
|----------|-----------------------------------|----------|---------------|-----------|---------------------------|-----------|--------------------------|



 REMOTE-CONTROL KIT for DUAL ENGINE				KIT		Total Required Quantity	
				1st Station	2nd Station		
				67000-98JG4-000		67000-98JH4-000	
	PART NUMBER	PART NAME	LENGTH	BINNACLE-MOUNT CONTROL KIT	2ND-STATION BINNACLE-MOUNT CONTROL KIT		
1	67200-98J14-000	BINNACLE MOUNT R/C BOX		1	1	1	2
2	37100-98J21-000	CONTROL PANEL		1	1	1	2
3	37100-98J05-000	MAIN SWITCH PANEL		1	-	1	1
4	37860-87L00-000	TROLL MODE SWITCH PANEL		1	1	1	2
5	38500-93J90-000	BUZZER		1	1	1	2
	09407-08401-000	BUZZER CLAMP		1	1	1	2
6	36770-98J13-000	BOAT CONTROL MODULE		1	1	1	2
	36775-98J00-000	BCM HOLDER (L)		1	1	1	2
	36776-98J00-000	BCM HOLDER (R)		1	1	1	2
	33925-93J00-000	BCM CUSHION		1	1	1	2
7	33926-98J00-000	TERMINAL RESISTOR		2	-	2	2
8	36625-98J10-000	BATTERY LEAD		1	-	1	1
9	36623-98J30-000	BCM #1 WIRING HARNESS		1	-	1	1
10	36622-98J00-000	DUAL-STATION WIRING HARNESS		-	1	-	1
11	36624-98J11-000	BCM #2 WIRING HARNESS		-	1	-	1
12	37803-93J05-000	EMERGENCY SWITCH PANEL		-	1	-	1
14	36621-98J00-000	ENGINE WIRING HARNESS		1	-	1	1
-	09403-13402-000	HARNESS CLAMP		15	10	-	-
*13	36620-98J30-000	MAIN WIRING HARNESS	6.5m	-	-	1	2
	9.5m		-	-			
		36620-98J50-000	MAIN WIRING HARNESS EXTENSION	2.0m	-	-	-
-	36612-98J20-000	COUNTER SELECT CONNECTOR		1	-	1	1

*13 is not included in these kits.
Please purchase these items separately.

REMOTE-CONTROL KIT for TRIPLE ENGINE



Installation Parts Different from SINGLE ENGINE

1 R/C BOX
BINNACLE MOUNT R/C BOX

2 CONTROL PANEL

12 EMERGENCY SWITCH
PANEL

14 ENGINE WIRING
HARNESS




 REMOTE-CONTROL KIT for TRIPLE ENGINE				KIT		Total Required Quantity	
				1st Station	2nd Station	SINGLE STATION	DUAL STATION
				67000-98J14-000	67000-98J10-000		
	PART NUMBER	PART NAME	LENGTH	BINNACLE-MOUNT CONTROL KIT	2ND-STATION BINNACLE-MOUNT CONTROL KIT		
1	67200-98J14-000	BINNACLE MOUNT R/C BOX		1	1	1	2
2	37100-98J31-000	CONTROL PANEL		1	1	1	2
3	37100-98J05-000	MAIN SWITCH PANEL		1	-	1	1
4	37860-87L00-000	TROLL MODE SWITCH PANEL		1	1	1	2
5	38500-93J90-000	BUZZER		1	1	1	2
	09407-08401-000	BUZZER CLAMP		1	1	1	2
	36770-98J13-000	BOAT CONTROL MODULE		1	1	1	2
6	36775-98J00-000	BCM HOLDER (L)		1	1	1	2
	36776-98J00-000	BCM HOLDER (R)		1	1	1	2
	33925-93J00-000	BCM CUSHION		1	1	1	2
7	33926-98J00-000	TERMINAL RESISTOR		2	-	1	2
8	36625-98J10-000	BATTERY LEAD		1	1	2	2
9	36623-98J30-000	BCM #1 WIRING HARNESS		1	-	1	1
10	36622-98J00-000	DUAL-STATION WIRING HARNESS		-	1	1	1
11	36624-98J11-000	BCM #2 WIRING HARNESS		-	1	-	1
12	37803-93J05-000	EMERGENCY SWITCH PANEL		-	1	-	1
14	36621-98J10-000	ENGINE WIRING HARNESS		1	-	-	1
-	09403-13402-000	HARNESS CLAMP		18	10	-	-
*13	36620-98J30-000	MAIN WIRING HARNESS	6.5m	-	-	1	2
	36620-98J41-000	MAIN WIRING HARNESS EXTENSION	9.5m	-	-	-	-
	36620-98J50-000	MAIN WIRING HARNESS EXTENSION	2.0m	-	-	-	-
-	36612-98J20-000	COUNTER SELECT CONNECTOR		1	-	1	1

*13 is not included in these kits.
Please purchase these items separately.

SUZUKI PRECISION CONTROL

REMOTE-CONTROL KIT for QUADRUPL ENGINE



Installation Parts Different from SINGLE ENGINE

1 R/C BOX
BINNACLE MOUNT R/C BOX

2 CONTROL PANEL

12 EMERGENCY SWITCH
PANEL

14 ENGINE WIRING
HARNESS



REMOTE-CONTROL KIT for QUADRUPL ENGINE				KIT		Total Required Quantity	
	PART NUMBER	PART NAME	LENGTH	1st Station	2nd Station	SINGLE STATION	DUAL STATION
				67000-98J75-000 BINNACLE-MOUNT CONTROL KIT	67000-98J85-000 2ND-STATION BINNACLE-MOUNT CONTROL KIT		
1	67200-98J14-000	BINNACLE MOUNT R/C BOX		1	1	1	2
2	37100-98J21-000	CONTROL PANEL		2	2	2	4
3	37100-98J05-000	MAIN SWITCH PANEL		1	-	1	1
4	37860-87L00-000	TROLL MODE SWITCH PANEL		1	1	1	2
5	38500-93J90-000	BUZZER		2	2	2	4
	09407-08401-000	BUZZER CLAMP		2	2	2	4
6	36770-98J22-000	BOAT CONTROL MODULE		2	2	2	4
	36775-98J00-000	BCM HOLDER (L)		2	2	2	4
	36776-98J00-000	BCM HOLDER (R)		2	2	2	4
	33925-93J00-000	BCM CUSHION		2	2	2	4
7	33926-98J00-000	TERMINAL RESISTOR		4	-	4	4
8	36625-98J10-000	BATTERY LEAD		2	-	2	2
9	36623-98J40-000	BCM #1 WIRING HARNESS		1	1	1	1
10	36622-98J00-000	DUAL-STATION WIRING HARNESS		-	2	-	2
12	37803-93J05-000	EMERGENCY SWITCH PANEL		-	1	-	1
14	36621-98J00-000	ENGINE WIRING HARNESS		2	-	2	2
-	09403-13402-000	HARNESS CLAMP		20	15	-	-
*13	36620-98J30-000	MAIN WIRING HARNESS	6.5m	-	-	2	4
	36620-98J41-000	MAIN WIRING HARNESS EXTENSION	9.5m	-	-	-	-
	36620-98J50-000	MAIN WIRING HARNESS EXTENSION	2.0m	-	-	-	-
-	36612-98J20-000	COUNTER SELECT CONNECTOR		2	-	2	2

*13 is not included in these kits.
Please purchase these items separately.

EXTRA OPTIONS AND INFORMATION


Lean Burn Fuel Control Technology

LEAN BURN

Fuel efficiency matters whether you're boating for pleasure or profit. Our Lean Burn Fuel Control Technology combined with Suzuki Precision Control, delivers the optimum fuel/air mixture to the engine. The system is designed to save fuel both at low speeds and up into the cruising range.

LEAN BURN

COMPARISON OF FUEL ECONOMY



Uses 14% less fuel compared to the original DF300, mainly in the cruising range where the engine is used a majority of the time.

Data used in the graph was obtained through in-house testing under uniformed conditions. Results will vary depending upon operating conditions (boat design, size, weight, weather, etc.)


COUNTER SELECT CONNECTOR



36612-98J20-000

Applicable Model DF150AP/175AP
DF200AP/250AP/300AP

Converts to counter rotation specification.



Suzuki Selective Rotation

In multi-outboard installations on large boats, a counter-rotation outboard is usually paired with a regular rotation model to help keep the boat traveling on an even keel and in a straight line. AP Models are built with special counter rotating gearing in the lower unit, which causes the prop to rotate in the opposite direction. Suzuki Selective Rotation eliminates the need to purchase a dedicated counter-rotation outboard by using a special switch that when connected to a circuit inside of the engine compartment, turns a regular rotation outboard into a counter-rotation model with a counter rotational propeller.* This industry first is made possible through a special, unified design of gears, shaft, and bearings in the lower unit that are designed to operate reliably and efficiently in either regular or counter-rotation directions.

* Make sure you consult with your dealer before changing Regular Rotation to Counter Rotation (or vice versa).

**SUZUKI
SELECTIVE ROTATION**

TROLL MODE SWITCH PANEL



37860-87L00-000

Applicable Model DF40A-140A/100B/150A/
AP/175A/AP/200A/AP/
250AP/300AP/325A/350A

Activates Suzuki Troll Mode System and controls RPM from idling engine speed up to 1200rpm at every 50rpm.

SUZUKI TROLL MODE SYSTEM

An optional extra on Remote Control models from over DF40A, this easy-to-use system lets you adjust engine speed in 50rpm increments, giving highly precise control at low revs. With its own tachometer and control switch, it works alongside our multi-function gauges and analogue gauges. (Suzuki Troll Mode System is originally equipped with Tiller Handle models from over DF40A.)



REMOTE-CONTROL KIT for KEYLESS START SYSTEM

REMOTE-CONTROL KIT for SINGLE ENGINE					KIT		Total Required Quantity
					Single Station		SINGLE STATION
					67000-98J95-000	67000-98JC5-000	
	PART NUMBER	PART NAME	LENGTH		BINNACLE-MOUNT CONTROL KIT	FLUSH-MOUNT CONTROL KIT	
1	67200-98J04-000	BINNACLE MOUNT R/C BOX			1	-	1
	67200-98J23-000	FLUSH MOUNT R/C BOX			-	1	1
2	37100-98J11-000	CONTROL PANEL			1	1	1
3	37100-96L01-000	MAIN SWITCH PANEL			1	1	1
4	37860-87L00-000	TROLL MODE SWITCH PANEL			1	1	1
5	38500-93J90-000	BUZZER			1	1	1
	09407-08401-000	BUZZER CLAMP			1	1	1
6	36770-98J13-000	BOAT CONTROL MODULE			1	1	1
	36775-98J00-000	BCM HOLDER (L)			1	1	1
	36776-98J00-000	BCM HOLDER (R)			1	1	1
	33911-88BL0-000	BCM CONNECT CAP			1	1	1
	33925-93J00-000	BCM CUSHION			1	1	1
7	33926-98J00-000	TERMINAL RESISTOR			2	2	2
8	36625-98J10-000	BATTERY LEAD			1	1	1
9	36623-98J20-000	BCM #1 WIRING HARNESS			1	1	1
-	09403-13402-000	HARNESS CLAMP			10	10	-
*13	36620-98J30-000	MAIN WIRING HARNESS	6.5m		-	-	1
	36620-98J41-000		9.5m		-	-	
	36620-98J50-000	MAIN WIRING HARNESS EXTENSION	2.0m		-	-	-

*13 is not included in these kits.
Please purchase these items separately.

 REMOTE-CONTROL KIT for DUAL ENGINE				KIT	Total Required Quantity
				Single Station	
	PART NUMBER	PART NAME	LENGTH	BINNACLE-MOUNT CONTROL KIT	SINGLE STATION
1	67200-98J14-000	BINNACLE MOUNT R/C BOX		1	1
2	37100-98J21-000	CONTROL PANEL		1	1
3	37100-96L01-000	MAIN SWITCH PANEL		1	1
4	37860-87L00-000	TROLL MODE SWITCH PANEL		1	1
5	38500-93J90-000	BUZZER		1	1
	09407-08401-000	BUZZER CLAMP		1	1
6	36770-98J13-000	BOAT CONTROL MODULE		1	1
	36775-98J00-000	BCM HOLDER (L)		1	1
	36776-98J00-000	BCM HOLDER (R)		1	1
	33925-93J00-000	BCM CUSHION		1	1
7	33926-98J00-000	TERMINAL RESISTOR		2	2
8	36625-98J10-000	BATTERY LEAD		1	1
9	36623-98J30-000	BCM #1 WIRING HARNESS		1	1
-	36621-98J00-000	ENGINE WIRING HARNESS		1	1
-	09403-13402-000	HARNESS CLAMP		15	-
*13	36620-98J30-000	MAIN WIRING HARNESS	6.5m	-	1
	9.5m		-		
	36620-98J50-000	MAIN WIRING HARNESS EXTENSION	2.0m	-	-
14	36664-96L00-000	CAN EXTENSION HARNESS		1	1
-	36612-98J20-000	COUNTER SELECT CONNECTOR		1	1

*13 is not included in these kits.
Please purchase these items separately.

 REMOTE-CONTROL KIT for TRIPLE ENGINE					Total Required Quantity
				KIT	
				1st Station	SINGLE STATION
				67000-98JB4-000	
	PART NUMBER	PART NAME	LENGTH	BINNACLE-MOUNT CONTROL KIT	
1	67200-98J14-000	BINNACLE MOUNT R/C BOX		1	1
2	37100-98J31-000	CONTROL PANEL		1	1
3	37100-96L01-000	MAIN SWITCH PANEL		1	1
4	37860-87L00-000	TROLL MODE SWITCH PANEL		1	1
5	38500-93J90-000	BUZZER		1	1
	09407-08401-000	BUZZER CLAMP		1	1
6	36770-98J13-000	BOAT CONTROL MODULE		1	1
	36775-98J00-000	BCM HOLDER (L)		1	1
	36776-98J00-000	BCM HOLDER (R)		1	1
	33925-93J00-000	BCM CUSHION		1	1
7	33926-98J00-000	TERMINAL RESISTOR		2	1
8	36625-98J10-000	BATTERY LEAD		1	2
9	36623-98J30-000	BCM #1 WIRING HARNESS		1	1
-	36621-98J10-000	ENGINE WIRING HARNESS		1	1
-	09403-13402-000	HARNESS CLAMP		18	-
*13	36620-98J30-000	MAIN WIRING HARNESS	6.5m	-	1
	36620-98J41-000	MAIN WIRING HARNESS	9.5m	-	-
	36620-98J50-000	MAIN WIRING HARNESS EXTENSION	2.0m	-	-
14	36664-96L00-000	CAN EXTENSION HARNESS		2	2
-	36612-98J20-000	COUNTER SELECT CONNECTOR		1	1

*13 is not included in these kits.
Please purchase these items separately.

 REMOTE-CONTROL KIT for QUADRUPL ENGINE					Total Required Quantity
				KIT	
				1st Station	SINGLE STATION
				67000-98JD4-000	
	PART NUMBER	PART NAME	LENGTH	BINNACLE-MOUNT CONTROL KIT	
1	67200-98J14-000	BINNACLE MOUNT R/C BOX		1	1
2	37100-98J21-000	CONTROL PANEL		2	2
3	37100-96L01-000	MAIN SWITCH PANEL		1	1
4	37860-87L00-000	TROLL MODE SWITCH PANEL		1	1
5	38500-93J90-000	BUZZER		2	2
	09407-08401-000	BUZZER CLAMP		2	2
6	36770-98J22-000	BOAT CONTROL MODULE		2	2
	36775-98J00-000	BCM HOLDER (L)		2	2
	36776-98J00-000	BCM HOLDER (R)		2	2
	33925-93J00-000	BCM CUSHION		2	2
7	33926-98J00-000	TERMINAL RESISTOR		4	4
8	36625-98J10-000	BATTERY LEAD		2	2
9	36623-98J40-000	BCM #1 WIRING HARNESS		1	1
-	36621-98J00-000	ENGINE WIRING HARNESS		2	2
-	09403-13402-000	HARNESS CLAMP		20	-
*13	36620-98J30-000	MAIN WIRING HARNESS	6.5m	-	2
	36620-98J41-000	MAIN WIRING HARNESS	9.5m	-	-
	36620-98J50-000	MAIN WIRING HARNESS EXTENSION	2.0m	-	-
14	36664-96L00-000	CAN EXTENSION HARNESS		3	3
-	36612-98J20-000	COUNTER SELECT CONNECTOR		2	2

*13 is not included in these kits.
Please purchase these items separately.

MAIN SWITCH PANEL



37100-98J05-000
single ignition with Emergency-stop switch

BOAT CONTROL PANEL



37100-98J11-000
for Single-Engine



37100-98J21-000
for Dual-Engine, Quadruple-Engine



37100-98J31-000
for Triple-Engine

BOAT CONTROL MODULE (BCM)



36770-98J13-000

36770-98J22-000
for Quadruple-Engine

BCM HOLDER (L/R)



36775-98J00-000 Holder (L)

36776-98J00-000 Holder (R)

BCM CONNECT CAP



33911-88BL0-000

BCM CUSHION



33925-93J00-000

MAIN WIRING HARNESS



36620-98J30-000
6.5 meters for control system

36620-98J41-000
9.5 meters for control system

MAIN WIRING HARNESS EXTENSION



36620-98J50-000
2.0 meters for control system

ENGINE WIRING HARNESS



36621-98J00-000
for Dual-Engine

36621-98J10-000
for Triple-Engine

DUAL-STATION WIRING HARNESS



36622-98J00-000
for Dual-station control system

BCM #1 WIRING HARNESS



36623-98J20-000
for Single-Engine and Single (First) station

36623-98J30-000
for Dual or Triple-Engine and Single (First) station

36623-98J40-000
for Quadruple-Engine and Single (First) station and Second station

BCM #2 WIRING HARNESS



36624-98J02-000
for Single-Engine and Second station

36624-98J11-000
for Dual or Triple-Engine and Second station

HARNESS EXTENSION



36627-98J00-000
1 meter

BATTERY LEAD



36625-98J10-000
6.5 meters


TERMINAL RESISTOR



33926-98J00-000

MECHANICAL REMOTE CONTROL SYSTEM

REMOTE-CONTROL KIT for SINGLE ENGINE



Gauge Kit Component

(a) TACHOMETER
(FACE: WHITE)



(b) TRIM GAUGE
(FACE: WHITE)



Basic Kit Component

1 R/C BOX
BINNACLE MOUNT R/C BOX



FLUSH MOUNT R/C BOX



2 SINGLE IGNITION
WITH E/S SWITCH



3 MAIN WIRING
HARNESS



4 R/C CABLE
(FOR THROTTLE AND SHIFT CABLES)




REMOTE-CONTROL KIT for SINGLE ENGINE				KIT					Required
	PART NUMBER	PART NAME	LENGTH	67000-88L01-000 BINNACLE-MOUNT CONTROL KIT	67000-88L21-000 BINNACLE-MOUNT CONTROL KIT	67000-93J28-000 FLUSH-MOUNT CONTROL KIT	67000-93J93-000 FLUSH-MOUNT CONTROL KIT	67000-93J83-000 SIDE-MOUNT CONTROL KIT	SINGLE STATION
1	67200-88L00-000	BINNACLE MOUNT R/C BOX		1	1	-	-	-	1
	67200-93J33-000	FLUSH MOUNT R/C BOX		-	-	1	1	-	
	67200-93J51-000	SIDE MOUNT R/C BOX		-	-	-	-	1	
2	37100-96J25-000	SINGLE IGNITION WITH E/S SWITCH		1	1	1	1	*A	1
3	36620-93J02-000	MAIN WIRING HARNESS	6.5m	-	1	-	1	1	1
	36620-93J52-000		5.0m	-	-	-	-	-	
	36620-93J62-000		8.0m	-	-	-	-	-	
(a)	34200-93J14-000	TACHOMETER (FACE: WHITE)		-	1	-	1	1	
(b)	34800-93J13-000	TRIM GAUGE (FACE: WHITE)		-	1	-	1	1	
4	67320-93J00-000	R/C CABLE (FOR THROTTLE AND SHIFT CABLES)	8ft. / 2.44m						2
	67320-93J10-000		10ft. / 3.05m						
	67320-93J20-000		12ft. / 3.66m						
	67320-93J30-000		14ft. / 4.27m						
	67320-93J40-000		16ft. / 4.88m						
	67320-93J50-000		18ft. / 5.49m						
	67320-93J60-000		20ft. / 6.10m						
	67320-93J70-000		22ft. / 6.71m						
-	67320-93J80-000		24ft. / 7.32m						
	36620-93J10-000	MAIN WIRING HARNESS EXTENSION	2m						
	36620-93J40-000		3m						

■ The highlighted products are optional. Please make your best choice depending on your boat.

■ *A The side mount control box is equipped with ignition switch, emergency switch and warning buzzer with clamp.

REMOTE-CONTROL KIT for DUAL ENGINE



Basic Kit Component

- 1** BINNACLE MOUNT R/C BOX
- 2** DUAL IGNITION WITH E/S SWITCH
- 3** MAIN WIRING HARNESS
- 4** R/C CABLE (FOR THROTTLE AND SHIFT CABLES)



REMOTE-CONTROL KIT for DUAL ENGINE				KIT		Required
	PART NUMBER	PART NAME	LENGTH	67000-88L11-000 BINNACLE-MOUNT CONTROL KIT	67000-88L32-000 BINNACLE-MOUNT CONTROL KIT	SINGLE STATION
1	67200-88L10-000	BINNACLE MOUNT R/C BOX		1	1	1
2	37100-96J15-000	DUAL IGNITION WITH E/S SWITCH		1	1	1
3	36620-93J02-000	MAIN WIRING HARNESS	6.5m	—	2	2
	36620-93J52-000		5.0m	—	—	
	36620-93J62-000		8.0m	—	—	
(a)	34200-93J14-000	TACHOMETER (FACE: WHITE)		—	2	
(b)	34800-93J13-000	TRIM GAUGE (FACE: WHITE)		—	2	
4	67320-93J00-000	R/C CABLE (FOR THROTTLE AND SHIFT CABLES)	8ft. / 2.44m			4
	67320-93J10-000		10ft. / 3.05m			
	67320-93J20-000		12ft. / 3.66m			
	67320-93J30-000		14ft. / 4.27m			
	67320-93J40-000		16ft. / 4.88m			
	67320-93J50-000		18ft. / 5.49m			
	67320-93J60-000		20ft. / 6.10m			
	67320-93J70-000		22ft. / 6.71m			
	67320-93J80-000		24ft. / 7.32m			
-	36620-93J10-000	MAIN WIRING HARNESS EXTENSION	2m			
	36620-93J40-000		3m			

■ The highlighted products are optional. Please make your best choice depending on your boat.

Gauge Kit Component

- (a)** TACHOMETER (FACE: WHITE)



- (b)** TRIM GAUGE (FACE: WHITE)



REMOTE-CONTROL KIT for SINGLE ENGINE (KEYLESS START SYSTEM)

REMOTE-CONTROL KIT for SINGLE ENGINE				KIT					Required
	PART NUMBER	PART NAME	LENGTH	67000-88L41-000	67000-88L62-000	67000-93JF2-000	67000-93JK3-000	67000-93JJ2-000	SINGLE STATION
1	67200-88L00-000	BINNACLE MOUNT R/C BOX		1	1	-	-	-	1
	67200-93J33-000	FLUSH MOUNT R/C BOX		-	-	1	1	-	
	67200-96L00-000	SIDE MOUNT R/C BOX		-	-	-	-	1	
2	37100-96L11-000	SINGLE IGNITION WITH E/S SWITCH		1	1	1	1	*A	1
3	36620-93J02-000		6.5m	-	1	-	1	1	1
	36620-93J52-000	MAIN WIRING HARNESS	5.0m	-	-	-	-	-	
	36620-93J62-000		8.0m	-	-	-	-	-	
(a)	34200-93J14-000	TACHOMETER (FACE: WHITE)		-	1	-	1	1	
(b)	34800-93J13-000	TRIM GAUGE (FACE: WHITE)		-	1	-	1	1	
4	67320-93J00-000	R/C CABLE (FOR THROTTLE AND SHIFT CABLES)	8ft. / 2.44m						2
	67320-93J10-000		10ft. / 3.05m						
	67320-93J20-000		12ft. / 3.66m						
	67320-93J30-000		14ft. / 4.27m						
	67320-93J40-000		16ft. / 4.88m						
	67320-93J50-000		18ft. / 5.49m						
	67320-93J60-000		20ft. / 6.10m						
	67320-93J70-000		22ft. / 6.71m						
	67320-93J80-000		24ft. / 7.32m						
-	36620-93J10-000	MAIN WIRING HARNESS EXTENSION	2m						
	36620-93J40-000		3m						

- The highlighted products are optional. Please make your best choice depending on your boat.
- *A The side mount control box is equipped with ignition switch, emergency switch and warning buzzer with clamp.



REMOTE-CONTROL KIT for DUAL ENGINE (KEYLESS START SYSTEM)

REMOTE-CONTROL KIT for DUAL ENGINE				KIT		Required
	PART NUMBER	PART NAME	LENGTH	67000-88L51-000 BINNACLE-MOUNT CONTROL KIT	67000-88L72-000 BINNACLE-MOUNT CONTROL KIT	SINGLE STATION
1	67200-88L10-000	BINNACLE MOUNT R/C BOX		1	1	1
2	37100-96L21-000	DUAL IGNITION WITH E/S SWITCH		1	1	1
3	36620-93J02-000	MAIN WIRING HARNESS	6.5m	—	2	2
	36620-93J52-000		5.0m	—	—	
	36620-93J62-000		8.0m	—	—	
(a)	34200-93J14-000	TACHOMETER (FACE: WHITE)		—	2	
(b)	34800-93J13-000	TRIM GAUGE (FACE: WHITE)		—	2	
4	67320-93J00-000	R/C CABLE (FOR THROTTLE AND SHIFT CABLES)	8ft. / 2.44m			4
	67320-93J10-000		10ft. / 3.05m			
	67320-93J20-000		12ft. / 3.66m			
	67320-93J30-000		14ft. / 4.27m			
	67320-93J40-000		16ft. / 4.88m			
	67320-93J50-000		18ft. / 5.49m			
	67320-93J60-000		20ft. / 6.10m			
	67320-93J70-000		22ft. / 6.71m			
-	36620-93J10-000	MAIN WIRING HARNESS EXTENSION	2m		1	
	36620-93J40-000		3m			
-	36621-96L00-000	KEYLESS HARNESS DUAL ENGINE		1	1	
	36663-96L10-000	KEYLESS CAN EXTENSION HARNESS		1	1	
	36664-96L00-000	CAN EXTENSION HARNESS		1	1	

■ The highlighted products are optional. Please make your best choice depending on your boat.



COMPONENT OF MECHANICAL REMOTE CONTROL SYSTEM

BINNACLE-MOUNT REMOTE CONTROL BOX



67200-88L00-000

for Single-Engine

Applicable Model DF8A-250



67200-88L10-000

for Dual-Engine

Applicable Model DF8A-250

FLUSH-MOUNT REMOTE CONTROL BOX



67200-93J33-000

for Single-Engine

Applicable Model DF8A-250

SIDE-MOUNT REMOTE CONTROL BOX



67200-91J20-000

for Single-Engine

Applicable Model DF4A-6A

SPACER KIT for REMOTE CONTROL BOX



67500-88L00-000

for Single Binnacle-mount type

Applicable Model DF8A-250



67500-88L10-000

for Dual Binnacle-mount type

Applicable Model DF8A-250

BATTERY LEAD



36625-93J10-000

6.7 meters

Applicable Model DF70-90A/150/175/200A/200-250

36625-93J00-000

3.9 meters

Applicable Model DF70-90A/150/175/200A/200-250

67200-94J20-000

for Single-Engine. With warning buzzer

Applicable Model DF8A-30A

67200-93J51-000

for Single-Engine. With PTT switch

Applicable Model DF9.9B-250

67200-96L00-000

for Single-Engine. With PTT switch for Keyless Start System

Applicable Model DF9.9B-250

MAIN WIRING HARNESS



36620-93J02-000

6.5 meters for Control system

Applicable Model DF40A-250

36620-94L11-000

6.5 meters for Control system

Applicable Model DF25A/30A

36620-94J01-000

6.5 meters for Control system without Monitor-signal wire, Trim-sender wire and PTT-SW wire

Applicable Model DF8A/9.9A

36620-93J52-000

5.0 meters for Control system

Applicable Model DF40A-250

36620-93J62-000

8.0 meters for Control system

Applicable Model DF40A-250

36620-89L00-000

6.5 meters for Control system

Applicable Model DF9.9B/15A/20A

MAIN WIRING HARNESS EXTENSION

36620-93J10-000

2.0 meters for Control system

Applicable Model DF9.9B-250

36620-93J40-000

3.0 meters for Control system

Applicable Model DF9.9B-250

IGNITION SWITCH PANEL



37100-96J00-000

Single ignition

Applicable Model DF9.9B-250



37100-96J25-000

Single ignition with Emergency-stop switch

Applicable Model DF9.9B-250



37100-96J15-000

Dual ignition with Emergency-stop switch

Applicable Model DF9.9B-250

EMERGENCY SWITCH PANEL



37803-93J05-000

Applicable Model DF9.9B-300AP

LIGHTING SWITCH PANEL



37210-93J00-000

Applicable Model DF9.9B-250

PTT SWITCH PANEL



37805-93J00-000

Applicable Model DF40A-250

REMOTE-CONTROL CABLE



GENUINE REMOTE-CONTROL CABLES employ the latest in cable technology. The inner core is encased in nylon, and travels back and forth in a high-density polyethylene liner.

67320-93J00-000

8 feet 2.44 meters

Applicable Model DF4A-250

67320-93J10-000

10 feet 3.05 meters

Applicable Model DF4A-250

67320-93J20-000

12 feet 3.66 meters

Applicable Model DF4A-250

67320-93J30-000

14 feet 4.27 meters

Applicable Model DF4A-250

67320-93J40-000

16 feet 4.88 meters

Applicable Model DF4A-250

67320-93J50-000

18 feet 5.49 meters

Applicable Model DF4A-250

67320-93J60-000

20 feet 6.10 meters

Applicable Model DF4A-250

67320-93J70-000

22 feet 6.71 meters

Applicable Model DF4A-250

67320-93J80-000

24 feet 7.32 meters

Applicable Model DF4A-250

REMOTE-CONTROL ATTACHING KIT

Converts ME model to REMOTE-CONTROL model.



67101-97L00-000

Applicable Model DF4A-6A

67130-89L10-000

Applicable Model DF9.9B/15A/20A

67130-94L02-000

Applicable Model DF25A/30A

67130-94L12-000

Applicable Model DF25ATH/30ATH

67130-99J01-000

CLAMP BRACKET SET (41100-99J00-0EP) is required for installing 67130-99J01-000.

Applicable Model DF8A/9.9A

TWIN REMOTE-CONTROL ATTACHMENT KIT



67140-95600-000

Applicable Model DF8A-250

RIGGING TUBE



990C0-20010-000

Applicable Model DF70A-DF300AP

*Connect to the hose adapter equipped on the engine

CLAMP BRACKET SET

41100-99JL0-YAY

Applicable Model DF8A/9.9A

TROLL MODE SWITCH PANEL



37860-87L00-000

Applicable Model DF40A-140A/100B/150A/AP/175A/AP/200A/AP/250AP/300AP/325A/350A

Activates Suzuki Troll Mode System and controls RPM from idling engine speed up to 1200rpm at every 50rpm.

SUZUKI TROLL MODE SYSTEM

An optional extra on Remote Control models from over DF40A, this easy-to-use system lets you adjust engine speed in 50rpm increments, giving highly precise control at low revs. With its own tachometer and control switch, it works alongside our multi-function gauges and analogue gauges. (Suzuki Troll Mode System is originally equipped with Tiller Handle models from over DF40A.)



TILLER HANDLE KIT



63002-88L22-YAY

Applicable Model
DF40A/50A

63002-87L15-YAY

Applicable Model
DF70A-90A

63002-88L14-YAY

Applicable Model
DF60A/50AV/60AV

63002-90J33-YAY

Applicable Model
DF100A/115A

Main features



Tachometer with warning indicators



Three-position angle adjustable bracket



Troll mode switch

- Activates Suzuki Troll Mode System and controls RPM from idling engine speed up to 1200rpm at every 50rpm.



Power trim & tilt switch and throttle grip friction adjuster

DUAL-ENGINE TIE-BAR



67600-90J00-000

Stainless steel

Applicable Model DF100A-140A

67600-93J00-000

Stainless steel

Applicable Model DF150-250

STEERING EXTENSION KIT



67630-93J00-000

for installation of DUAL-ENGINE TIE-BAR
(67600-93J00-000)

Applicable Model DF150-250

DRAG-LINK KIT



67700-87L01-000

Applicable Model DF70A-90A

67700-93J00-000

Applicable Model DF40A-60A/200-250

67700-96J00-000

Applicable Model DF150-175/200A/AP

67701-87J11-000

Applicable Model DF40A-60A/200-250

67701-87L01-000

Applicable Model DF70A-90A

67701-90J01-000

Applicable Model DF100A-140A

67701-96J00-000

Applicable Model DF150-175/200A/AP

67701-94L00-000

Applicable Model DF25A/30A

67701-99J02-000

Applicable Model DF8A-DF20A

STEERING-BRACKET ATTACHMENT



43755-87L00-000

Applicable Model DF70A/90A

43755-88L00-000

Applicable Model DF40A-60A

43755-94L00-000

Applicable Model DF25A-30A

43755-99J00-000

Applicable Model DF8A-20A

STEERING CABLE SEAL




41161-94400-000

Applicable Model DF8A-250

BATTERY CHARGING KIT

- Optional equipment for charging battery
- Required for: DF4A/5A/6A, DF8A/9.9A, DF9.9B/15A/20A, DF25A/30A.




DF series

APPLICABLE MODEL	BATTERY CHARGING KIT └ RECTIFIER and REGULATOR SET └ RECEPTACLE KIT
DF4A/5A/6A	32000-97L00-000 └ 32801-97L00-000 └ 39600-97L00-000
DF8A/9.9A	32000-99J00-000 └ 32801-95J01-000 └ 39600-94J01-000
DF9.9B/15A/20A	32000-89L01-000 └ 32801-89L00-000 └ 39600-89L00-000
DF25A/30A	32000-94L01-000 └ 32800-88L01-000 └ 39600-94L00-000 └ 32815-94L00-000 (BRACKET) └ 01550-06207-000 (BOLT)


ELECTRIC STARTER KIT

Optional materials for Converting Manual Starter model into Electric Starter model.

* Electric Starter Kit functions as Battery Charging Kit as well.



DF series

APPLICABLE MODEL	ELECTRIC STARTER KIT
DF4A/5A/6A	—
DF8A/9.9A	31000-99J01-000
DF25A/30A	31000-94L03-000
DF9.9B/15A/20A	31000-89L07-000 (For ~17MY) 31000-89L10-000 (For 18MY~)
	DF9.9B: 33920-89LL0-000 DF15A: 33920-89LG0-000 DF20A: 33920-89LJ0-000 DF20A(P40): 33920-89LN0-000

ELECTRIC STARTER KIT



BATTERY ISOLATOR LEAD SET

Optional equipment for charging additional battery.

33830-98J11-000

Applicable Model DF150T/Z/175T/Z/
150AP/175AP
200A/AP/250AP/
300AP/350AP

ZINC ANODE for saltwater



55300-95500-000

Applicable Model DF8A/9.9A/40A-60A



55125-91101-000

Applicable Model DF25/R/Q



55321-90J01-000

Applicable Model DF50AV/60AV/100A-140A

ALUMINUM ANODE for brackish water, saltwater



55321-87J01-000

Applicable Model DF2.5-300AP



55320-94900-000

Applicable Model DF60A-300AP



55321-95J00-000

Applicable Model DF2.5,DF4A-6A

55321-93J01-000

Applicable Model DF150-300A

MAGNESIUM ANODE for freshwater



55321-87J11-000

Applicable Model DF4A-300AP



55321-94910-000

Applicable Model DF70A-300AP

Anode Bulk Pack

55321-87810-B50

Applicable Model DF2.5-300AP

50 pcs in one package

FUEL TANK

NOTE: These tanks do not meet US-EPA requirements.



65000-99100-000

12-liter plastic tank without fuel-level gauge

Applicable Model DF4A/5A/6A

65000-94L10-000

25-liter plastic tank with fuel-level gauge

Applicable Model DF8A-140A

65000-89L10-000

12-liter plastic tank

Applicable Model DF5A-20A

REPLACEMENT FUEL CAP

NOTE: These caps do not meet US-EPA requirements.

65520-99100-000

for 12-liter tank without fuel-level gauge

Applicable Model DF5A-20A/R

65520-95D01-000

for 25-liter tank with fuel-level gauge

Applicable Model DF8A-140A

FUEL-HOSE SOCKET



65750-98505-000

Metal, inner diameter: 11.2 mm

Applicable Model DF4A-20A/R



65750-87J11-000

Plastic, inner diameter: 6.6 mm

Applicable Model DF4A/8A-30A



65750-95500-000

Metal, inner diameter: 13.0 mm

Applicable Model DF8A/R-140A

FUEL CONNECTOR (ENGINE SIDE)



65720-986L0-000

Plastic

Applicable Model DF4A

FUEL CONNECTOR (TANK SIDE)



65740-95D01-000

Outer diameter: 13 mm, 1/4"NPT

Applicable Model DF8A/R-140A,
DT9.9/K-40W/WR/WK

SQUEEZE PUMP



65770-90J12-000

Large-in & large-out

Applicable Model DF5A-140A

65770-93J12-000

Large-in & large-out

Applicable Model DF150A-350A

SQUEEZE PUMP

(Meets US-EPA requirements.)

65770-90J04-000

Large-in & large-out

Applicable Model DF5A-140A

65770-93J02-000

Large-in & large-out

Applicable Model DF150-350A

FUEL-HOSE

09352-73123-00D

Inner diameter: 7.3, outer diameter: 12.5

Length 4,00 mm

Not US-EPA compatible

FUEL-HOSE COMPONENT



65700-87J16-000

Applicable Model DF5A-30A

65700-90J15-000

Applicable Model DF40A-60A

65700-90J21-000

Applicable Model DF70A-140A

65700-93J11-000

Applicable Model F150A-350A

FUEL-HOSE COMPONENT


(Meets US-EPA requirements.)

65700-87J26-000

Applicable Model DF5A-30A

65700-88L04-000

Applicable Model DF40A-60A



FUEL-HOSE COMPONENT Chart

1 FUEL-HOSE COMPONENT	2 FUEL-HOSE SOCKET Metal	Plastic	3 SQUEEZE PUMP	4 FUEL-HOSE SOCKET Metal

Applicable Model	1		2			-			3	-			4		
	FUEL HOSE COMPONENT		SOCKET OUT			HOSE OUT			SQUEEZE PUMP	HOSE IN			SOCKET IN		
	Part Number	A Length (mm)	Material	B I/D (mm)	Part Number	C Length (mm)	I/D (mm)	O/D (mm)		D Length (mm)	I/D (mm)	O/D (mm)	Material	E I/D (mm)	Part Number
DF5A-30A	65700-87J16-000	1970	Plastic	6,6	65750-87J11-000	700	7,3	12,5	65770-90J12-000	1100	7,3	12,5	Metal	13	65750-95500-000
DF40A-60A	65700-90J15-000	1250	no socket	-	-	no hose	-	-	65770-90J12-000	1100	7,3	12,5	Metal	13	65750-95500-000
DF70A-140A	65700-90J21-000	1950	no socket	-	-	700	7,3	12,5	65770-90J12-000	1100	7,3	12,5	Metal	13	65750-95500-000
DF150A-350A	65700-93J11-000	3300	no socket	-	-	750	9	14	65770-93J12-000	2250	9	14	no socket	-	-
DF5A-30A (US-EPA)	65700-87J26-000	1970	Plastic	6,6	65750-87J11-000	700	7.3	12,5	65770-90J04-000	1100	7,3	12,5	13	11.2	65750-95500-000
DF40A-60A (US-EPA)	65700-88L04-000	1250	no socket	-	-	no hose	-	-	65770-90J04-000	1100	7,3	12,5	13	13.0	65750-95500-000
DF70A-140A (US-EPA)	-	-	no socket	-	-	no hose	-	-	65770-90J04-000	no hose	-	-	-	-	-
DF150A-350A (US-EPA)	-	-	(no socket)	-	-	(no hose)	-	-	65770-93J02-000	(no hose)	-	-	-	-	-

WATER SEPARATOR / FUEL FILTER



65900-98J00-000

Applicable Model DF5A/DF8A-300AP

ELEMENT SET



65910-98J00-000

Applicable Model DF5A/DF8A

PROPELLER

What is PROPELLER

Propeller selection is very important in the performance of your boat. Acceleration, speed, fuel efficiency, stability and engine RPM all are affected by the propeller selected. Operating requirements and conditions will also affect which design, style and pitch of propeller you may choose to meet your individual needs. The combination of boat, engine and appropriate propeller size may have already been tested by the boat manufacturer. **Your Customers may need your assist with the process to determine the correct propeller for their application.**

Stainless Steel Propellers

Suzuki Stainless Steel Propellers offer higher performance and greater durability than aluminum propellers. The aggressive design of these propellers enhances the overall performance of your boat and the durability of the stainless steel construction will give you long term dependability. Your Suzuki Stainless Steel propeller is also fitted with a rubber cushion hub to help absorb vibration and shock should you strike a foreign object.



Propeller Sizing

When referring to propeller size, such as 3 x 13 x 18, the first number is the number of blade, the second number details the diameter of the propeller and the third number is the pitch of the propeller.

The pitch is the most significant number in the description. The diameter is usually predetermined by the propeller engineers and is based on the size and series of the engine.

Diameter

Diameter is considered to be the distance across an imaginary circle that is made when a propeller is rotated. Diameter is determined during the engineering process of designing a propeller and is usually based on requirements to meet the needs of engine size, gear case design, horsepower and speed.



Pitch

Pitch is used to describe the theoretical distance that a propeller “cork screws” through the water in inches of forward travel. In theory, an 18” pitch propeller would move ahead 18” with each complete revolution of a propeller. There is always some percentage of inefficiency as water conditions, boat weight and propeller style are introduced into the performance equation. The lower the “slip factor,” the more efficiently the propeller will perform and the faster the speed at a given engine RPM. Lower pitches accelerate faster, but have a lower top end speed. Higher pitches have a slower acceleration, but may attain higher top speeds. An inch of pitch generally is equal to 150-200 engine RPM at wide open throttle (WOT). If pitch is increased by an inch, RPM will decrease by 150-200 RPM at WOT. If pitch is decreased by an inch, RPM will increase by 150-200 RPM at WOT. Always operate your boat/engine combination within the recommended RPM range guidelines as stated in your operator’s manual. Operating outside the recommended range can cause severe damage to your engine and may void the engine warranty.



Propeller Cup

Cup is used to reduce the slip and ventilation of the propeller. This will allow you to operate your engine at a higher transom mounting and allow you to use more trim for bow lift. The cup refers to the area along the trailing edge of the propeller blade that has an increased pitch in the last 1/2” of the blade surface and extends to the blade tip.

Rake

Rake is described as the angle, in degrees, that the propeller blades are mounted to the “barrel” of the propeller. The blades of a zero degree rake propeller are mounted perpendicular to the “barrel” of the propeller. The blades of a higher rake propeller angle more to the rear of the propeller. A propeller with a high rake design will hold the water on the blades longer during operation and will ventilate less at higher engine heights. High rake propellers will produce higher thrust that will help lift the bow of the boat more effectively.

HARDWARE FOR PROPELLER

Applicable Model	STOPPER	PROPELLER BUSH		HARDWARE KIT				
				SPACER	WASHER	STOPPER	NUT	COTTER PIN
DF2.5	57635-91JL0-000	58120-97JA0-000	N/A	-	-	-	58130-91JL0-000	09204-03003-000
DF4A/5A/6A	57635-97L00-000	58120-91JL0-000	N/A	-	-	-	58130-91JL0-000	09204-03003-000
DF8A/9.9A	57632-94J00-000	58120-89L00-000	N/A	-	09160-12066-000	-	09141-12005-000	09204-02004-000
DF9.9B/15A/20A	57632-94J00-000	58120-89L00-000	N/A	-	09160-12066-000	-	09141-12005-000	09204-02004-000
DF25A/30A	57632-91L00-000	58120-96401-000	57630-96300-000	57633-96300-000	09160-14028-000	-	09141-14008-000	09204-03003-000
DF40A/50A/60A	57632-95320-000	58120-88L01-000	57630-94301-000	57633-94301-000	09160-18028-000	-	09141-18005-000	09204-03003-000
DF50AV/60AV	57635-90J01-000	58105-90J00-000	57630-90J00-000	57633-90J02-000	09160-18028-000	-	09141-18005-000	09204-03003-000
DF70A/80A/90A/100B	57632-87L01-000	58105-90J00-000	57630-90J00-000	57633-90J02-000	09160-18028-000	-	09141-18005-000	09204-03003-000
DF100A/115A/140A	57635-92J01-000	58105-90J00-000	57630-90J00-000	57633-90J02-000	09160-18028-000	-	09141-18005-000	09204-03003-000
DF150A-300AP	57632-93L10-000	58120-93L00-000	57630-93L00-000	57633-93L00-000	09160-18028-000	-	09141-18005-000	09204-03003-000
DF325A/350A Front	58531-98L00-000	58520-98L00-000	58540-98L00-000	58541-98L00-000	-	58551-98L00-000	58561-98L00-000	-
DF325A/350A Rear	58631-98L00-000	58620-98L00-000	58640-98L00-000	58641-98L00-000	09160-18019-000	-	09141-18005-000	09204-03003-000

SUZUKI PROPELLERS WATERGRIP Ultimate power delivery

All Suzuki propellers are designed specifically for your outboard to give outstanding performance for long reliable and trouble free service. Made from stainless steel they are incredibly hard wearing making them durable, dependable and fit for purpose.


To get the best from your outboard we have launched a new series of propellers. Our very first propeller brand: WATERGRIP.

THE NEW WATERGRIP RANGE

WATERGRIP is a new stainless-steel propeller series offering accurate response to your operation. With efficient conversion of engine power into propulsion, this propeller series meets our customers' demand for bigger, faster, more powerful outboards.

The WATERGRIP propeller series employs a new interchangeable and square shaped propeller bush that minimises power loss in delivery.

PROPELLER BUSH ADVANTAGES



- Better resistance over propeller slip
- Interchangeable bush

WATERGRIP

The WATERGRIP series will be the new standard for Suzuki propellers. The new interchangeable and square shaped bush system is designed not only to be replaced easily and quickly when required, but also to accurately and efficiently convert power from the engine to thrust through the propeller.

As a result, you will be able to enjoy more time having the ultimate experience on the water rather than waiting for repairs on the land.



WATERGRIP DUAL

Our new flagship models, the DF350A and DF325A, introduced the Suzuki Dual Prop System, an industry-leading technology that is truly a revolution in innovation. Big engines demand more efficient conversion of engine output into propulsion.

With two contra-rotating propellers operating simultaneously, the conversion efficiency becomes greater as does stability, grip and manoeuvrability. The end-result is that the Suzuki Dual Prop System delivers outstanding and exciting performance.



WATERGRIP SPORT

In addition to ease of maintenance and efficiency of power conversion, the WATERGRIP SPORT propellers feature a high rake blade design, which delivers excellent acceleration and exceptional top speed. These propellers are ideal for lightweight sports boats as they give remarkably stable thrust when turning which results in superior manoeuvrability and lots of fun boating.



COMING IN 2019

PROPELLER LINE-UP

Model	Type	Material	Blade	Diameter	Pitch	Rotation*	Description	Part number
DF2.5	A520	Aluminum	3	7 3/8	5 3/8	RR		58110-97JA0-019
DF4A	C601	Aluminum	3	7 1/2	6	RR		58110-91JL0-019
DF5A	C611	Aluminum	3	7 1/2	6 1/2	RR		58110-91JM0-019
DF6A	C701	Aluminum	3	7 1/2	7	RR		58110-91JN0-019
DF8A	M701	Aluminum	3	9 1/4	7	RR		58100-89L00-019
DF9.9A	M821	Aluminum	3	9 1/4	8	RR	THICK	58100-90L41-019
	M901	Aluminum	3	9 1/4	9	RR		58100-89L20-019
	M911	Aluminum	3	9 1/4	9	RR	THICK	58100-90L50-019
	M1001	Aluminum	3	9 1/4	10	RR		58100-89L60-019
	M1011	Aluminum	3	9 1/4	10	RR	THICK	58100-90L21-019
	M1101	Aluminum	3	9 1/4	11	RR		58100-89L70-019
DF9.9B		Aluminum	4	10	5	RR	High thrust	58100-94JA1-000
DF15A		Aluminum	4	10	7	RR	High thrust	58100-94JB1-000
DF20A		Aluminum	3	9 1/4	7	RR		58100-89L00-019
		Aluminum	3	9 1/4	8	RR	THICK	58100-90L41-019
		Aluminum	3	9 1/4	9	RR		58100-89L20-019
		Aluminum	3	9 1/4	9	RR	THICK	58100-90L50-019
		Aluminum	3	9 1/4	10	RR		58100-89L60-019
		Aluminum	3	9 1/4	10	RR	THICK	58100-90L60-019
		Aluminum	3	9 1/4	11	RR		58100-89L70-019
		Aluminum	3	9 1/4	12	RR		58100-89L50-019
DF25A	P911	Aluminum	3	10 1/4	9	RR	THICK	58100-96372-019
DF30A	P1001	Aluminum	3	10 1/4	10	RR		58100-91L40-019
	P1011	Aluminum	3	10 1/4	10	RR	THICK	58100-96472-019
	P1101	Aluminum	3	10 1/4	11	RR		58100-91L50-019
	P1201	Aluminum	3	10 1/4	12	RR		58100-91L20-019
	P1211	Aluminum	3	10 1/4	12	RR	THICK	58100-96482-019
	P1301	Aluminum	3	10 1/4	13	RR		58100-91L30-019
	P1311	Aluminum	3	10 1/4	13	RR	THICK	58100-96492-019
	P1401	Aluminum	3	10 1/4	14	RR		58100-95D01-019
	P1501	Aluminum	3	10 1/4	15	RR		58100-96462-019
DF40A	S900	Aluminum	3	11 1/2	9	RR		58100-88L03-019
DF50A	S1000	Aluminum	3	11 1/2	10	RR		58100-88L13-019
DF60A	S1100	Aluminum	3	11 1/2	11	RR		58100-88L23-019
	S1200	Aluminum	3	11 5/8	12	RR		58100-88LA0-019
	S1301	Aluminum	3	11 1/2	13	RR		58100-88LB0-019
	S1400	Aluminum	3	11 3/8	14	RR		58100-88L52-019
	S1500	Aluminum	3	11 1/4	15	RR		58100-88L62-019
	S1600	Aluminum	3	11 1/8	16	RR		58100-88L72-019
	S1700	Aluminum	3	11	17	RR		58100-88L83-019
	SS1600	Stainless	3	11 1/8	16	RR		58200-88L30-000
DF50AV		Aluminum	3	14	9	RR		58100-87LG1-019
DF60AV		Aluminum	3	14	11	RR		58100-87LH0-019
		Aluminum	3	13 3/4	12	RR		58100-87LJ0-019
		Aluminum	3	14	13	RR		58100-87LA0-019
		Aluminum	3	13 7/8	15	RR		58100-87LB0-019
		Aluminum	3	13 3/4	17	RR		58100-87LC0-019
DF70A		Aluminum	3	14	13	RR		58100-87LA0-019
DF80A		Aluminum	3	13 7/8	15	RR		58100-87LB0-019
DF90A		Aluminum	3	13 3/4	17	RR		58100-87LC0-019
DF100B		Aluminum	3	13 3/4	19	RR		58100-87LD0-019
		Aluminum	3	13 3/4	21	RR		58100-87LE0-019
		Aluminum	3	13 3/4	23	RR		58100-87LF0-019
		Aluminum	3	13 1/2	15	RR		58100-90JE0-019
		Aluminum	3	14	17	RR		58100-90JA0-019
		Aluminum	3	14	19	RR		58100-90JB0-019
		Aluminum	3	14	21	RR		58100-90JC0-019
		Aluminum	3	14	23	RR		58100-90JD0-019
		Stainless	3	13 7/8	15	RR		58200-92J40-000
		Stainless	3	13 7/8	17	RR		58200-92J50-000
		Stainless	3	13 7/8	19	RR		58200-92J60-000
		Stainless	3	13 7/8	21	RR		58200-92J70-000
		Stainless	3	13 7/8	23	RR		58200-92J80-000
		Stainless	3	13 7/8	25	RR		58200-92J90-000

*RR: Regular-Rotation model, CR: Counter-Rotation model

Model	Type	Material	Blade	Diameter	Pitch	Rotation*	Description	Part number
DF100A		Aluminum	3	13 1/2	15	RR		58100-90JE0-019
DF115A		Aluminum	3	14	17	RR		58100-90JA0-019
DF140A		Aluminum	3	14	19	RR		58100-90JB0-019
		Aluminum	3	14	21	RR		58100-90JC0-019
		Aluminum	3	14	23	RR		58100-90JD0-019
		Stainless	3	13 7/8	15	RR		58200-92J40-000
		Stainless	3	13 7/8	17	RR		58200-92J50-000
		Stainless	3	13 7/8	19	RR		58200-92J60-000
		Stainless	3	13 7/8	21	RR		58200-92J70-000
		Stainless	3	13 7/8	23	RR		58200-92J80-000
		Stainless	3	13 7/8	25	RR		58200-92J90-000
		Stainless	3	13 7/8	17	CR		58200-92JA0-000
		Stainless	3	13 7/8	19	CR		58200-92JB0-000
		Stainless	3	13 7/8	21	CR		58200-92JC0-000
		Stainless	3	13 7/8	23	CR		58200-92JD0-000
DF150		Stainless	3	16	15	RR	WATERGRIP	58700-93L80-000
DF150AP		Stainless	3	16	17	RR	WATERGRIP	58700-93L00-000
DF175		Stainless	3	16	18 1/2	RR	WATERGRIP	58700-93L10-000
DF175AP		Stainless	3	16	20	RR	WATERGRIP	58700-93L20-000
DF200		Stainless	3	16	21 1/2	RR	WATERGRIP	58700-93L30-000
DF200A		Stainless	3	16	23	RR	WATERGRIP	58700-93L40-000
DF200AP		Stainless	3	16	24 1/2	RR	WATERGRIP	58700-93L50-000
DF225		Stainless	3	16	26	RR	WATERGRIP	58700-93L60-000
DF250		Stainless	3	16	27 1/2	RR	WATERGRIP	58700-93L70-000
DF250AP		Stainless	3	16	17	CR	WATERGRIP	58800-93L00-000
DF300AP		Stainless	3	16	18 1/2	CR	WATERGRIP	58800-93L10-000
		Stainless	3	16	20	CR	WATERGRIP	58800-93L20-000
		Stainless	3	16	21 1/2	CR	WATERGRIP	58800-93L30-000
		Stainless	3	16	23	CR	WATERGRIP	58800-93L40-000
		Stainless	3	16	24 1/2	CR	WATERGRIP	58800-93L50-000
		Stainless	3	16	26	CR	WATERGRIP	58800-93L60-000
		Stainless	3	15 1/2	17	RR	WATERGRIP	58700-96J00-000
		Stainless	3	15 1/4	19	RR	WATERGRIP	58700-96J10-000
		Stainless	3	15	21	RR	WATERGRIP	58700-96J20-000
		Stainless	3	14 3/4	23	RR	WATERGRIP	58700-96J30-000
		Stainless	3	14 1/2	25	RR	WATERGRIP	58700-96J40-000
		Stainless	3	14 1/2	27	RR	WATERGRIP	58700-96J50-000
		Stainless	3	15 1/2	17	CR	WATERGRIP	58800-96J00-000
		Stainless	3	15 1/4	19	CR	WATERGRIP	58800-96J10-000
		Stainless	3	15	21	CR	WATERGRIP	58800-96J20-000
		Stainless	3	14 3/4	23	CR	WATERGRIP	58800-96J30-000
		Stainless	3	14 1/2	25	CR	WATERGRIP	58800-96J40-000
		Stainless	3	14 1/2	27	CR	WATERGRIP	58800-96J50-000
		Stainless	4	15 1/4	18	RR	WATERGRIP	58700-93J00-000
		Stainless	4	15 1/4	20	RR	WATERGRIP	58700-93J10-000
		Stainless	4	15 1/4	22	RR	WATERGRIP	58700-93J20-000
		Stainless	4	15 1/4	24	RR	WATERGRIP	58700-93J30-000
		Stainless	4	15 1/4	26	RR	WATERGRIP	58700-93J40-000
		Stainless	4	15 1/4	20	CR	WATERGRIP	58800-93J10-000
		Stainless	4	15 1/4	22	CR	WATERGRIP	58800-93J20-000
		Stainless	4	15 1/4	24	CR	WATERGRIP	58800-93J30-000
		Stainless	4	15 1/4	26	CR	WATERGRIP	58800-93J40-000

* Be sure to install both front and rear propellers in the same pitch.

Model	Material	Blade	Diameter	Pitch	Part number (FRONT)	Part number (REAR)
DF325A	Stainless	3	15 1/2	12	58500-98LA0-000	58600-98LA0-000
DF350A	Stainless	3	15 1/2	15	58500-98LB0-000	58600-98LB0-000
	Stainless	3	15 1/2	16.5	58500-98LC0-000	58600-98LC0-000
	Stainless	3	15 1/2	18	58500-98L90-000	58600-98L90-000
	Stainless	3	15 1/2	19.5	58500-98L60-000	58600-98L60-000
	Stainless	3	15 1/2	21	58500-98L00-000	58600-98L00-000
	Stainless	3	15 1/2	22.5	58500-98L10-000	58600-98L10-000
	Stainless	3	15 1/2	24	58500-98L20-000	58600-98L20-000
	Stainless	3	15 1/2	25.5	58500-98L30-000	58600-98L30-000
	Stainless	3	15 1/2	27	58500-98L40-000	58600-98L40-000
	Stainless	3	15 1/2	28.5	58500-98L50-000	58600-98L50-000
	Stainless	3	15 1/2	30	58500-98L70-000	58600-98L70-000
	Stainless	3	15 1/2	31.5	58500-98L80-000	58600-98L80-000



CARE & MAINTENANCE ITEM

ECSTAR V7000 4 STROKE ENGINE OIL

Suzuki engineers have created a premium oil that has not only exceeded all standards set by the NMMA but more importantly has been designed specifically for Suzuki marine engines. ECSTAR is FC-W equivalent and uses a high quality low sulfur content based oil that reduces ash buildup for increased durability and the high viscosity index is a major contributor to maximising fuel efficiency.

ECSTAR V7000 SEMI SYNTHETIC MARINE ENGINE OIL

High performance blend of synthetic lubricants and premium mineral oils engineered to protect your Suzuki engine and optimise its performance.

- Less engine water
- Lower oil consumption
- Improved starting
- Reduced fuel consumption




4-STROKE ENGINE OIL

SAE 10W-40 Semi-Synthetic, FC-W

12x1L	990F0-22B31-001
4x4L	990F0-22B31-004
60L	990F0-22B31-060
208L	990F0-22B31-208

SUZUKI APPROVED GENUINE OIL by MOTUL

Suzuki and MOTUL have been in partnership in MotoGP since 1988. Extending this trusted relationship led to the development of new Suzuki Marine Oils. These ranges of oils have excellent oxidation stability and provide outstanding rust protection under severe operating conditions.

API Classification	SAE Viscosity Grade															
SG																
SH																
SL																
SJ																
SM																
TEMP.	C	-20	-10	0	10	20	30	40	F	-4	14	32	50	68	86	104



4-STROKE ENGINE OIL

SAE 10W-30 Semi-Synthetic, FC-W

12x1L	99000-22B59-4T1
4x5L	99000-22B59-4T5
60L	99000-22B59-4T6
208L	99000-22B59-4T8



4-STROKE ENGINE OIL

SAE 10W-40 Semi-Synthetic, FC-W

12x1L	99000-22B60-4T1
4x5L	99000-22B60-4T5
60L	99000-22B60-4T6
208L	99000-22B60-4T8

HYDRAULIC FLUID



990F0-22541-001

Dexron III for all Suzuki 2 and 4 stroke outboard powertrim/tilt systems

1 litre

INHIBITOR



997SO-KONS3-001

Multi-purpose fluid lubricant: unblocks, lubricates and protects all metal parts from corrosion by depositing a protective film.

400 ml

FUEL SYSTEM CLEAN



990F0-FSCLE-002

Cleaner specially designed for the fuel systems of gasoline engines. Reinforced action on valves, carburetors, injectors and combustion chambers.

12 x 300 ml

GEAR OIL



GEAR OIL SAE 90

SAE 90, API GL-5

24x0.35L	99000-22B61-P35
12x1L	99000-22B61-001

TOUCH-UP PAINT

99000-10202-0EP

SHADOW BLACK METALLIC (set)

99000-10202-YAY

PEARL NEBULAR BLACK (set)

99000-10202-Y5S

COOL WHITE (single)



PAINT SPRAY

990F0-41005-CLR

CLEAR COAT

990F0-41005-0ED

CALIFORNIA GREY METALLIC

990F0-41005-0EP

SHADOW BLACK METALLIC

990F0-41005-YAY

PEARL NEBULAR BLACK

990F0-41005-Y5S

COOL WHITE

ENGINE COVER



68110-89L01-000

Applicable Model DF8A-20A

68110-88L01-000

Applicable Model DF25/40A-60A

68110-87L01-000

Applicable Model DF70A-140A

68110-96J01-000

Applicable Model DF150T/Z-250T/Z

68110-98J01-000

Applicable Model DF250AP/300AP



990F0-99E00-010

Applicable Model DF60/70

990F0-87L00-010

Applicable Model DF70A/80A/90A

990F0-88L00-010

Applicable Model DF40A/DF50A/DF60A

990F0-90J00-010

Applicable Model DF90/115

990F0-92J00-010

Applicable Model DF140

990F0-93J00-010

Applicable Model DF200/225/250

CARRIER BAG



990F0-91J00-BAG

Applicable Model DF4A-6A

BATTERY CHARGER



990E0-OPTIM-CAR

OptiMate 6, versatile battery charger, maintainer and tester. Recommended for STS/AGM/MF/GEL and spiral cell batteries from 15 Ah to 240 Ah.

MICRO MAGNETIC CONTACT

990F0-ALARM-004

Additional waterproof micro magnetic contact for alarm system 990F0-ALARM-002. To be used e.g. for dashboard driving console and access point protection (sliding doors, windows).

ALARM SYSTEM, COMPACT VERSION



990F0-ALARM-002

Easy to mount, Suzuki outboard engine dedicated plug & play connection. The various features of this waterproof remote controlled alarm system include e.g. system disarming by pin code, remote control, optical and acoustical signalization, engine stop function, cable cutting protection, and many more. Includes 1 micro magnetic contact.

Applicable Model DF40-DF140 from 2005-
FD250 from 2004-2012
DF200 from 2004-
DF150-DF175 from 2006-

FLUSH-HOSE ATTACHMENT



55181-95200-000

Applicable Model DF4A-6A/40A-60A,DT40W



17917-87L00-000

Applicable Model DF8A-300A

FLUSHING TOOL



99000-81200-000

FLUSHING TOOL

Applicable Model DF350A

PTT FLUID



99000-22810-000

Metal can with a cap
1 liter

LIQUID GASKET



99000-31140-THR

1207B (BLACK)

100 grams (3.5 oz)

GREASE



99000-25480-000

SUPER GREASE-A

For Crank oil seal. Please order temporary substitute depending on your territory from one of these three:
990F0-25011-001/-002/-003
400 grams



99000-25350-000

WATER RESISTANT GREASE EP2

250 grams (8.8 oz)

THREAD LOCK



99000-32130-000

1360 (RED)

50 grams (1.7 oz)

SUZUKI MAINTENANCE KITS

SUZUKI highly recommends you to replace your outboard motor with Maintenance Kits every 100 hours or 1 year, whichever comes first.



ALL LINEUP For 4 STROKE OBM

MODEL YEAR	KIT PART NUMBER	PART NUMBER	PART NAME	QTY
DF2/2.5 ('06-'11)	17400-97820	17461-97JM0-000	IMPELLER, WATER PUMP	1
		09482-00406-000	SPARK PLUG, CR6HSA	1
		09204-02001-000	COTTER PIN	1
		09168-10022-000	GASKET, 10X17X1.5	1
		59178-97J00-000	GASKET, DRAIN PLUG	2
		55321-87J01-000	ANODE, PROTECTION	1
		09280-33005-000	O-RING (D:1.9, ID:32.7)	1
		09202-02006-000	PIN (2.9X14)	1
		17471-97J00-000	PANEL, PUMP CASE UNDER	1
		17472-97J00-000	GASKET, PUMP CASE PANEL	1
		17461-97JM0-000	IMPELLER, WATER PUMP	1
		09482-00406-000	SPARK PLUG, CR6HSA	1
DF2/2.5 ('12-)	17400-97810	09204-03003-000	COTTER PIN (D:3.6, L:25)	1
		09168-10022-000	GASKET, 10X17X1.5	1
		59178-97J00-000	GASKET, DRAIN PLUG	2
		55321-87J01-000	ANODE, PROTECTION	1
		09280-33005-000	O-RING (D:1.9, ID:32.7)	1
		09202-02006-000	PIN (2.9X14)	1
		17471-97J00-000	PANEL, PUMP CASE UNDER	1
		17472-97J00-000	GASKET, PUMP CASE PANEL	1
		17400-98661-000	KIT, WATER PUMP REPAIR	1
		09204-03003-000	COTTER PIN (D:3.6, L:25)	1
		09482-00L04-000	SPARK PLUG, BPR6ES	1
		09168-10022-000	GASKET, 10X17X1.5	3
DF4/5/6 ('02-'10)	17400-91860	55321-87J01-000	ANODE, PROTECTION	2
		17412-91J00-000	PANEL, WATER PUMP CASE UPR	1
		17413-91J00-000	SLEEVE, WATER PUMP CASE	1
		15410-98500-000	FILTER, FUEL	1
		17400-98661-000	KIT, WATER PUMP REPAIR	1
		09204-03003-000	COTTER PIN (D:3.6, L:25)	1
		09482-00L04-000	SPARK PLUG, CPR6EA-9	1
		09168-10022-000	GASKET, 10X17X1.5	3
		55321-87J01-000	ANODE, PROTECTION	2
		17412-91J00-000	PANEL, WATER PUMP CASE UPR	1
		17413-91J00-000	SLEEVE, WATER PUMP CASE	1
		15410-98500-000	FILTER, FUEL	1
DF4/5/6 ('11-'16)	17400-91830	09168-12017-000	GASKET, 12X17X1	1
		09204-03003-000	COTTER PIN (D:3.6, L:25)	1
		09280-39001-000	O-RING (D:2, ID:38.5)	1
		09420-03002-000	KEY	1
		09482-00L04-000	SPARK PLUG, CPR6EA-9	1
		16510B16H11N000	FILTER, ENGINE OIL	1
		17412-91J00-000	PANEL, WATER PUMP CASE UPR	1
		17413-91J00-000	SLEEVE, WATER PUMP CASE	1
		17461-985M0-000	IMPELLER, WATER PUMP	1
		17471-98610-000	PANEL, PUMP CASE UNDER	1
		17472-91J00-000	GASKET, PUMP CASE PANEL	1
		44330-13H00-000	FILTER, FUEL	1
DF4A/5A/6A P01 DF4A/6A P03 ('17-)	17400-91890	55321-87J01-000	ANODE, PROTECTION	1
		55321-95J00-000	ANODE, PROTECTION	1
		59178-97J00-000	GASKET, DRAIN PLUG	2

MODEL YEAR	KIT PART NUMBER	PART NUMBER	PART NAME	QTY
DF8A/9.9A ('10-)	17400-99840	15410-98500-000	FILTER, FUEL	1
		16510-45H10-000	FILTER, ENGINE OIL	1
		09204-02004-000	COTTER PIN	1
		09280-54001-000	O-RING (D:2.4, ID:52.6)	1
		09280-13004-000	O-RING (D:1.9, ID:13)	1
		09168-12017-000	GASKET, 12X17X1	1
		59178-97J00-000	GASKET, DRAIN PLUG	2
		55321-87J01-000	ANODE, PROTECTION	2
		09280-22019-000	O-RING (D:1.9, ID:21.8)	1
		09482-00528-000	SPARK PLUG, CR6E	2
		17400-99J01-000	KIT, WATER PUMP REPAIR	1
		17413-94J00-000	SLEEVE, WATER PUMP CASE	1
DF9.9/15 ('11-'13)	17400-94810	17400-94J00-000	KIT, WATER PUMP REPAIR	1
		09204-02004-000	COTTER PIN	1
		09482-00L04-000	SPARK PLUG, CPR6EA-9	2
		16510-45H10-000	FILTER, ENGINE OIL	1
		09280-10013-000	O-RING (D:2.4, ID:9.6)	1
		55321-99E00-000	ANODE, PROTECTION	1
		55321-90L00-000	ZINC ANODE, PROTECTION	1
		09168-12017-000	GASKET, 12X17X1	1
		09168-10022-000	GASKET, 10X17X1.5	2
		17413-94J00-000	SLEEVE, WATER PUMP CASE	1
		15410-98500-000	FILTER, FUEL	1
		17400-99J01-000	KIT, WATER PUMP REPAIR	1
DF9.9B/15A/20A ('13-)	17400-89810	09204-02004-000	COTTER PIN	1
		09482-00L04-000	SPARK PLUG, CPR6EA-9	2
		16510-45H10-000	FILTER, ENGINE OIL	1
		09280-13004-000	O-RING (D:1.9, ID:13)	1
		09280-54001-000	O-RING (D:2.4, ID:52.6)	1
		55321-87J01-000	ANODE, PROTECTION	2
		09280-22019-000	O-RING (D:1.9, ID:21.8)	1
		09168-12017-000	GASKET, 12X17X1	1
		59178-97J00-000	GASKET, DRAIN PLUG	2
		17413-94J00-000	SLEEVE, WATER PUMP CASE	1
		15410-87J00-000	FILTER, FUEL	1
		17400-95J02-000	KIT, WATER PUMP REPAIR	1
DF20/25 V2 ('06-)	17400-95870	16510-87J00-000	FILTER, ENGINE OIL	1
		09482-00427-000	SPARK PLUG, BKR6E	2
		09204-03003-000	COTTER PIN (D:3.6, L:25)	1
		09168-10022-000	GASKET, 10X17X1.5	2
		09168-12012-000	GASKET, 12.5X20X2.5	1
		55321-95J00-000	ANODE, PROTECTION	2
		55321-87J01-000	ANODE, PROTECTION	5
		09280-10013-000	O-RING (D:2.4, ID:9.6)	2
		09280-22019-000	O-RING (D:1.9, ID:21.8)	1
		17413-95J00-000	SLEEVE, WATER PUMP CASE	1
		15410-87J30-000	FILTER, FUEL	1
		17400-96353-000	KIT, WATER PUMP REPAIR	1
DF25/30 ('01-'10)	17400-89820	16510-87J00-000	FILTER, ENGINE OIL	1
		09482-00446-000	SPARK PLUG, DCPR6E	3
		09204-03003-000	COTTER PIN (D:3.6, L:25)	1
		09168-10022-000	GASKET, 10X17X1.5	2
		09168-12012-000	GASKET, 12.5X20X2.5	1
		55321-87J01-000	ANODE, PROTECTION	1
		11265-87E10-000	GASKET, PROTECTION COVER	1
		15410-87J10-000	FILTER, FUEL	1

MODEL YEAR	KIT PART NUMBER	PART NUMBER	PART NAME	QTY
DF25A/30A ('15~)	17400-94820	17400-94L00-000	KIT, WATER PUMP REPAIR	1
		09204-03003-000	COTTER PIN (D:3.6, L:25)	1
		09482-00L04-000	SPARK PLUG, CPR6EA-9	3
		16510-87JL0-000	FILTER, ENGINE OIL	1
		55321-87J01-000	ANODE, PROTECTION	5
		09280-22019-000	O-RING (D:1.9, ID:21.8)	1
		09168-12017-000	GASKET, 12X17X1	1
		59178-97J00-000	GASKET, DRAIN PLUG	2
		17413-94L00-000	SLEEVE, WATER PUMP CASE	1
		15410-87L00-000	FILTER, FUEL	1
		17400-96353-000	KIT, WATER PUMP REPAIR	1
		16510-87JL0-000	FILTER, ENGINE OIL	1
DF40/50 ('06LATE~'10)	17400-87820	09482-00446-000	SPARK PLUG, DCPR6E	3
		09204-03003-000	COTTER PIN (D:3.6, L:25)	1
		09168-10022-000	GASKET, 10X17X1.5	2
		09168-12012-000	GASKET, 12.5X20X2.5	1
		55321-87J01-000	ANODE, PROTECTION	2
		09280-22019-000	O-RING (D:1.9, ID:21.8)	2
		15410-87J30-000	FILTER, FUEL	1
		17400-88L00-000	KIT, WATER PUMP REPAIR	1
		09204-03003-000	COTTER PIN (D:3.6, L:25)	1
		16510-87J00-000	FILTER, ENGINE OIL	1
		09482-00446-000	SPARK PLUG, DCPR6E	3
		09168-12012-000	GASKET, 12.5X20X2.5	1
DF40A/50A /60A ('10~)	17400-88810	09168-10022-000	GASKET, 10X17X1.5	2
		55321-87J01-000	ANODE, PROTECTION	3
		09280-22019-000	O-RING (D:1.9, ID:21.8)	2
		15410-88L00-000	FILTER, FUEL	1
		17400-99E10-000	KIT, WATER PUMP REPAIR	1
		09204-03003-000	COTTER PIN (D:3.6, L:25)	1
		16510-87JL0-000	FILTER, ENGINE OIL	1
		09482-00446-000	SPARK PLUG, DCPR6E	3
		09168-12012-000	GASKET, 12.5X20X2.5	1
		09168-10022-000	GASKET, 10X17X1.5	2
		55321-87J01-000	ANODE, PROTECTION	3
		09280-22019-000	O-RING (D:1.9, ID:21.8)	2
DF50AV/60AV ('14~)	17400-88820	15410-88L00-000	FILTER, FUEL	1
		17400-99E10-000	KIT, WATER PUMP REPAIR	1
		09204-03003-000	COTTER PIN (D:3.6, L:25)	1
		16510-87JL0-000	FILTER, ENGINE OIL	1
		09482-00446-000	SPARK PLUG, DCPR6E	3
		09168-12012-000	GASKET, 12.5X20X2.5	1
		09168-10022-000	GASKET, 10X17X1.5	2
		55321-87J01-000	ANODE, PROTECTION	3
		09280-22019-000	O-RING (D:1.9, ID:21.8)	2
		15410-88L00-000	FILTER, FUEL	1
		17400-99E10-000	KIT, WATER PUMP REPAIR	1
		16510-87JL0-000	FILTER, ENGINE OIL	1
DF60 ('09LATE~'09END)	17400-99850	09482-00299-000	SPARK PLUG, BPR6ES	4
		09204-03003-000	COTTER PIN (D:3.6, L:25)	1
		09168-10022-000	GASKET, 10X17X1.5	2
		09168-12012-000	GASKET, 12.5X20X2.5	1
		55321-87J01-000	ANODE, PROTECTION	1
		11265-87E10-000	GASKET, PROTECTION COVER	1
		17416-99E10-000	SEALING, WATER PUMP CASE	1
		17413-99E11-000	SLEEVE, WATER PUMP CASE	1
		15410-87J30-000	FILTER, FUEL	1
		17400-87E04-000	KIT, WATER PUMP REPAIR	1
		16510-87JL0-000	FILTER, ENGINE OIL	1
		09482-00299-000	SPARK PLUG, BPR6ES	4
DF60/70 ('07)	17400-99870	09204-03003-000	COTTER PIN (D:3.6, L:25)	1
		09168-10022-000	GASKET, 10X17X1.5	2
		09168-12012-000	GASKET, 12.5X20X2.5	1
		55321-87J01-000	ANODE, PROTECTION	1
		11265-87E10-000	GASKET, PROTECTION COVER	1
		15410-87J30-000	FILTER, FUEL	1
		17400-87E04-000	KIT, WATER PUMP REPAIR	1
		16510-87JL0-000	FILTER, ENGINE OIL	1
		09482-00299-000	SPARK PLUG, BPR6ES	4
		09204-03003-000	COTTER PIN (D:3.6, L:25)	1
		09168-10022-000	GASKET, 10X17X1.5	2
		09168-12012-000	GASKET, 12.5X20X2.5	1
DF60/70 ('08~'09EARLY)	17400-99860	55321-87J01-000	ANODE, PROTECTION	1
		11265-87E10-000	GASKET, PROTECTION COVER	1
		17416-99E00-000	SEALING, WATER PUMP CASE NO1	1
		17413-99E11-000	SLEEVE, WATER PUMP CASE	1
		17417-99E00-000	SEALING, WATER PUMP CASE NO2	1
		15410-87J30-000	FILTER, FUEL	1
		17400-87L01-000	KIT, WATER PUMP REPAIR	1
		16510-61A31-000	FILTER, ENGINE OIL	1
		09482-00446-000	SPARK PLUG, DCPR6E	4
		09168-12012-000	GASKET, 12.5X20X2.5	1
		09168-10034-000	GASKET, 9.5X16.5X2	2
		55321-87J01-000	ANODE, PROTECTION	3
DF70A/80A /90A ('09~)	17400-87810	09204-03003-000	COTTER PIN (D:3.6, L:25)	1
		09280-22019-000	O-RING (D:1.9, ID:21.8)	3
		09420-04009-000	KEY, WATER PUMP	1
		15410-87L00-000	FILTER, FUEL	1
		17400-92J21-000	KIT, WATER PUMP REPAIR	1
		16510-61A31-000	FILTER, ENGINE OIL	1
		09482-00427-000	SPARK PLUG, BKR6E	4
		09204-03003-000	COTTER PIN (D:3.6, L:25)	1
		09168-10022-000	GASKET, 10X17X1.5	2
		09168-12012-000	GASKET, 12.5X20X2.5	1
		55321-87J01-000	ANODE, PROTECTION	4
		11265-87E10-000	GASKET, PROTECTION COVER	2
DF100/115 ('10~'12)	17400-92840	09280-22019-000	O-RING (D:1.9, ID:21.8)	2
		09420-05009-000	KEY, WATER PUMP	1
		15410-87J30-000	FILTER, FUEL	1

MODEL YEAR	KIT PART NUMBER	PART NUMBER	PART NAME	QTY		
DF100B ('18~)	17400-87830	17400-87L01-000	KIT, WATER PUMP REPAIR	1		
		16510-61A31-000	FILTER, ENGINE OIL	1		
		09482-00446-000	SPARK PLUG, DCPR6E	4		
		09168-12012-000	GASKET, 12.5X20X2.5	1		
		09168-10034-000	GASKET, 9.5X16.5X2	2		
		55321-87J01-000	ANODE, PROTECTION	3		
		09204-03003-000	COTTER PIN (D:3.6, L:25)	1		
		09280-22019-000	O-RING (D:1.9, ID:21.8)	3		
		09420-04009-000	KEY, WATER PUMP	1		
		15412-92J00-000	FILTER, FUEL	1		
		17400-92J21-000	KIT, WATER PUMP REPAIR	1		
		16510-61A31-000	FILTER, ENGINE OIL	1		
DF100A/115A /140A ('13~)	17400-92821	09482-00427-000	SPARK PLUG, BKR6E	4		
		09204-03003-000	COTTER PIN (D:3.6, L:25)	1		
		09168-10022-000	GASKET, 10X17X1.5	2		
		09168-12012-000	GASKET, 12.5X20X2.5	1		
		55321-87J01-000	ANODE, PROTECTION	4		
		11265-87E10-000	GASKET, PROTECTION COVER	2		
		09280-22019-000	O-RING (D:1.9, ID:21.8)	2		
		09420-05009-000	KEY, WATER PUMP	1		
		15412-92J00-000	FILTER, FUEL	1		
		17400-92J21-000	KIT, WATER PUMP REPAIR	1		
		16510-61A31-000	FILTER, ENGINE OIL	1		
		DF140 ('10~'12)	17400-92850	09482-00427-000	SPARK PLUG, BKR6E	4
09204-03003-000	COTTER PIN (D:3.6, L:25)			1		
09168-10022-000	GASKET, 10X17X1.5			2		
09168-12012-000	GASKET, 12.5X20X2.5			1		
55321-87J01-000	ANODE, PROTECTION			4		
11265-87E10-000	GASKET, PROTECTION COVER			2		
09280-22019-000	O-RING (D:1.9, ID:21.8)			2		
09420-05009-000	KEY, WATER PUMP			1		
15410-87J30-000	FILTER, FUEL			1		
16621-73G00-000	GASKET, OIL COOLER			1		
09280-56005-000	O-RING (D:3.53, ID:56.74)			1		
09280-60007-000	O-RING (D:3.5, ID:59.6)			1		
09280-70005-000	O-RING (D:3.1, ID:69.4)	1				
DF150/175 ('06~)	17400-96822	17400-96J02-000	KIT, WATER PUMP REPAIR	1		
		16510-96J10-000	FILTER, ENGINE OIL	1		
		09482-00427-000	SPARK PLUG, BKR6E	4		
		09204-03003-000	COTTER PIN (D:3.6, L:25)	1		
		09168-10034-000	GASKET, 9.5X16.5X2	2		
		09168-12012-000	GASKET, 12.5X20X2.5	1		
		55321-87J01-000	ANODE, PROTECTION	6		
		09280-22019-000	O-RING (D:1.9, ID:21.8)	5		
		17413-96J01-000	SLEEVE, WATER PUMP CASE	1		
		15410-96J00-000	FILTER, FUEL	1		
		DF200A/200AP/ 175AP/150AP ('16~)	17400-96831	17400-96J02-000	KIT, WATER PUMP REPAIR	1
				16510-96J10-000	FILTER, ENGINE OIL	1
09482-00649-000	SPARK PLUG, LKR6E			4		
09204-03003-000	COTTER PIN (D:3.6, L:25)			1		
09168-10034-000	GASKET, 9.5X16.5X2			2		
09168-12012-000	GASKET, 12.5X20X2.5			1		
55321-87J01-000	ANODE, PROTECTION			6		
09280-22019-000	O-RING (D:1.9, ID:21.8)			5		
17413-96J01-000	SLEEVE, WATER PUMP CASE			1		
15412-92J00-000	FILTER, FUEL			1		
DF200/225/250 ('11~)	17400-93852			17400-93J02-000	KIT, WATER PUMP REPAIR	1
				16510-96J10-000	FILTER, ENGINE OIL	1
		09482-00427-000	SPARK PLUG, BKR6E	6		
		09204-03003-000	COTTER PIN (D:3.6, L:25)	1		
		09168-10034-000	GASKET, 9.5X16.5X2	2		
		09168-12012-000	GASKET, 12.5X20X2.5	1		
		55321-87J01-000	ANODE, PROTECTION	7		
		09280-22019-000	O-RING (D:1.9, ID:21.8)	7		
		55320-94900-000	ANODE, PROTECTION	1		
		17413-93J02-000	SLEEVE, WATER PUMP CASE	1		
		15412-93J10-000	FILTER, FUEL	1		
		DF250A/250S/ 300(A) ('11~)	17400-98862	17400-98J01-000	KIT, WATER PUMP REPAIR	1
16510-96J10-000	FILTER, ENGINE OIL			1		
09482-00427-000	SPARK PLUG, BKR6E			6		
09204-03003-000	COTTER PIN (D:3.6, L:25)			1		
09168-10034-000	GASKET, 9.5X16.5X2			2		
09168-12012-000	GASKET, 12.5X20X2.5			1		
55321-87J01-000	ANODE, PROTECTION			8		
09280-22019-000	O-RING (D:1.9, ID:21.8)			7		
17413-93J02-000	SLEEVE, WATER PUMP CASE			1		
55320-94900-000	ANODE, PROTECTION			1		
15412-93J10-000	FILTER, FUEL			1		
DF325A/350A ('18~)	17400-98870			17400-98L00-000	KIT, WATER PUMP REPAIR	1
		16510-96J10-000	FILTER,ENGINE OIL	1		
		09482-00642-000	SPARK PLUG, ILZKR7D8	6		
		09204-03003-000	COTTER PIN (D:3.6, L:25)	1		
		09168-10034-000	GASKET, 9.5X16.5X2	3		
		09168-12012-000	GASKET, 12.5X20X2.5	1		
		55321-87J01-000	ANODE, PROTECTION	7		
		09280-22019-000	O-RING (D:1.9, ID:21.8)	7		
		17413-93J02-000	SLEEVE, WATER PUMP CASE	1		
		55320-94900-000	ANODE, PROTECTION	1		
		15412-93J10-000	FILTER, FUEL	1		



MARINE



990F0-SMPM1-size

MARINE POLO SHIRT MEN

Lake Hamana white polo shirt with dark blue collar. 100 % cotton.

Size S/M/L/XL/XXL



990F0-SMPL1-size

MARINE POLO SHIRT LADIES

Lake Hamana white polo shirt with dark blue collar. 95 % cotton, 5 % elastane.

Size XS/S/M/L/XL



990F0-SMTS1-size

MARINE T-SHIRT

Lake Hamana dark blue T-Shirt with white print. 100 % cotton.

Size S/M/L/XL/XXL



990F0-SMHD1-size

MARINE HOODIE

Lake Hamana dark blue full-zip hoodie jacket with embroidered logos and Suzuki Marine rubber badge, 100 % polyester.

Size S/M/L/XL/XXL



990F0-SMBS1-size

BERMUDA SHORTS MEN

Blue men Bermuda shorts with 6 pockets. 65 % modal, 32 % polyester, 3 % elastane. Including textile belt. 80 % polyester, 20 % polyamide.

Size S/M/L/XL/XXL



990F0-SMFC1-000

MARINE CAP

Lake Hamana dark blue/white cap. 100 % cotton.

One size fits all.

MERCHANDISE



990F0-MWAT3-000

WATCH MEN

Black stainless steel case. Date and time function, silicon strap, clock-face with carbon insets, mineral crystal watch glass, diameter 44 mm, 5 ATM water resistant. Comes with black gift box.

990F0-MWAT4-000

WATCH LADIES

Black stainless steel case. Date and time function, silicon strap, clock-face with carbon insets, mineral crystal watch glass, diameter 32 mm, 5 ATM water resistant. Comes with black gift box.



990F0-SMTW1-000

MARINE TOWEL

Lake Hamana blue towel. 100% cotton.

Size 145 x 100 cm



990F0-SMFK1-000

MARINE KEY RING

Signal yellow floatable key ring. Neoprene outer material, useful for max. 3 standard keys (max. 40 gr. total).



990F0-MSUN3-000

SUNGLASSES

The original. Brushed metal with lasered Suzuki logos.



990F0-MTED1-000

I LOVE SUZUKI TEDDY

Plush, soft teddy wearing
"I LOVE SUZUKI" pullover.

Size Sitting 19 cm high.



990F0-MBAC2-000

BACKBAG

Daypack, functional addition to
touring luggage, multiple functional
pockets, bottle holder, waist and chest
belts, incl. rain cover, opening for a
drinking tube (not included), 600D
polyester.

Size (H) 44 cm, (W) 25 cm,
(D) 16 cm, (C) 24 liters



990F0-DRYDB-002

DRY BAG

Dry bag made of welded tarpaulin,
reflective details, additional shoulder
belt included.

Size (H) 30 cm, (W) 30 cm,
(D) 55 cm, (C) 35 liters



990F0-MBKW1-000

WATERPROOF BACKBAG

Light waterproof backpack with inte-
grated padded laptop sleeve (up to 15.4"
devices), additional outer pocket, PVC
fabric.

Size (H) 45 cm, (W) 35 cm,
(D) 17 cm, (C) 26 liters

Recommended STEERING SYSTEM supplied by



www.seastarsolutions.com

Order taking, delivery, technical support and warranty for these products are handled by SeaStar Solutions.
Please consult your local SeaStar Solutions distributor or dealer if you need more details on product information, price, availability and all business terms.

STEERING KIT

BAYSTAR™



BAYSTAR

BAYSTAR OUTBOARD SYSTEM - HK4200A-3

System comprises:

BayStar Helm 1.4cu" (22.94cc)	HH4314-3
BayStar Compact Cylinder	HC4645H*
20ft "cut to length" tubing kit	HT4420H
2 x litre SeaStar hydraulic oil	HA5430

*Note: 115-140hp four stroke 2001 to current model require HC4658H.

BAYSTAR PLUS™



BAYSTAR PLUS

BAYSTAR PLUS OUTBOARD SYSTEM - HK4500A-3

System comprises:

BayStar Plus Helm 1.4cu" (22.94cc)	HH4514-3
BayStar Compact Cylinder	HC4645H*
2 x litre SeaStar hydraulic oil	HA5430

Note: 1 x SeaStar hose kits must be ordered separately
*Note: 115-140hp four stroke 2001 to current model require HC4658H.

SEASTAR™



SEASTAR

SEASTAR OUTBOARD SYSTEM - HK6400-3

System comprises:

SeaStar Helm 1.7cu" (27.80cc)	HH5271-3
SeaStar Pivot Cylinder	HC5345-3*
2 x litre SeaStar hydraulic oil	HA5430

Note: 1 x SeaStar hose kits must be ordered separately
*Note: 115-140hp 1996 only requires HC5348, 40-140hp four stroke 1998 to current model and 90hp four stroke 2003 to current model require HC5358.

SEASTAR™



SEASTAR POWER ASSIST

SEASTAR OUTBOARD POWER ASSIST SYSTEM

System comprises:

SeaStar Helm 1.7cu" (27.80cc)	HH5271-3
SeaStar Pivot Cylinder	HC5345-3*
2 x litre SeaStar hydraulic oil	HA5430
SeaStar 12v Power Assist Unit	PA1200-2

Note: 2 x SeaStar hose kits must be ordered separately
*Note: 115-140hp 1996 only requires HC5348, 40-140hp four stroke 1998 to current model and 90hp four stroke 2003 to current model require HC5358.

*For further application information please refer to www.seastarsolutions.com

		75 HP	115 HP	150 HP	200 HP	250 HP	300 HP	350 HP+
BAYSTAR	OPTIMUM							
	MAXIMUM							
BAYSTAR PLUS	OPTIMUM							
	MAXIMUM							
SEASTAR OUTBOARD SYSTEM	OPTIMUM							
	MAXIMUM							
SEASTAR TOURNAMENT	OPTIMUM							
	MAXIMUM							
SEASTAR POWER ASSIST OUTBOARD SYSTEM	OPTIMUM							
	MAXIMUM							


As specialists in the art of steering, SeaStar Solutions take the recommendation of steering systems very seriously especially as modern outboard engines become more powerful. Unlike other steering manufacturers we prefer to make systems recommendations based on "optimum comfort"

TIE-BAR KIT

Features

General purpose system.
Single and multiple engine capability.
Total power up to 700 HP
*counter-rotating.

Independent engine tilt for twin engine
Easy steering.
5 turns lock to lock steering response.



Applications

Twin Engine Application for Suzuki Outboard Motors

MODEL (4-CYCLE)	CYLINDER	TIE BAR KITS		NOTES
		TWIN ENGINE SINGLE CYL.	TWIN ENGINE DUAL CYL.	
DF40A/50A/60A	HC5358-3	HO6003	HO6002	Requires kit H05090
DF70A/80A/90A	HC5358-3	HO6003	HO6002	Requires kit H05090
DF100	HC5358-3	HO6003	HO6002	Requires kit H05090
DF115/140	HC5358-3	HO6003	HO6002	Requires kit H05090
DF150/175	HC5345-3	HO6003	HO6002	
DF200/225/250	HC5345-3	HO6003	HO6002	
DF300	HC5345-3	HO6003	HO6002	

Triple Engine Configuration for Suzuki Outboard Motors

MODEL (4-CYCLE)	CYLINDER	TIE BAR KITS		NOTES
		PORT ENGINE TO DRIVE CYL.	STARBOARD ENGINE TO DRIVE CYL.	
DF150/175	HC5345-3	HO6003	HO6002	See notice
DF200/225/250	HC5345-3	HO6003	HO6002	See notice
DF300	HC5345-3	HO6003	HO6002	See notice

SEASTAR TOURNAMENT SERIES

Extreme heavy duty cylinders and tie bars designed for primarily high performance multiple engine applications. Also available for single engine applications. This heavy duty universal cylinder features reversible bolt on stainless steel tie bar plates that are suitable for use with all SeaStar Helms and SeaStar Power Assist.

SEASTAR TOURNAMENT CYLINDER

Part No.	Description
HC6845	Outboard Tournament Series Cylinder, Front Mount
HC6845S	Outboard Tournament Series Cylinder, Front Mount, c/w Single Engine Hardware Kit



OPTIMUS EPS

A Higher Level Of Engineering Sophistication

The Optimus EPS system replaces the traditional hydraulic steering system.

For single, twin, triple and quad engine applications.


Advantages of Optimus EPS

- No oil at helm
- Boat that steers like a sports car
- Plug and play autopilot compatibility
- No auto pilot pump or rudder feedback unit
- Auto adjusting speed sensitive wheel effort
- Auto adjusting speed sensitive turns lock to lock
- Can be retrofitted to existing mechanical and electronic controlled engines. You do not have to buy new engines
- No tie-bars (twin configuration)
- No liquid tie-bar (CAT)
- On demand pumps which extend battery life
- Components based on existing SeaStar reliability and quality
- NMEA 2000 Certified



OPTIMUS 360

The patented Optimus 360 system builds on the Optimus EPS. Optimus 360 steering/shift/throttle control system is engineered for powerboats with electronic shift and throttle engines, allowing you to use the existing electronic controls. Optimus 360 connects to the existing control head with closed loop processing, providing a very seamless integration.



Optimus EPS + Joystick = Optimus 360 Joystick Control

Advantages of Optimus 360

- Intuitive high precision joystick docking with confidence
- Seamless integration with electronic controlled engines
- Autopilot ready - just a simple connection
- Dual station compatible
- Tiebar engines (triple) – less components, simple installation, less cost
- Available as a retrofit or for new engine installation
- All the benefits of Optimus EPS, including auto adjusting steering effort and steering turns lock to lock
- Supports Twin and Triple Suzuki Precision Control Engines

APPLICATION CHART

		DF350A	DF325A	DF300AP	DF250AP	DF200AP	DF175AP	DF150AP	DF250ST	DF250T	DF250Z	DF225T	DF225Z	DF200T	DF200Z	DF200AT	DF200AZ	DF175AT	DF175AZ	DF150AST	DF150AT	DF150AZ	DF140AT	DF140AZ	DF115AST	DF115AT	DF115AZ	DF100AT
ITEM	PAGE	DF350A	DF325A	DF300AP	DF250AP	DF200AP	DF175AP	DF150AP	DF250ST	DF250T	DF250Z	DF225T	DF225Z	DF200T	DF200Z	DF200AT	DF200AZ	DF175AT	DF175AZ	DF150AST	DF150AT	DF150AZ	DF140AT	DF140AZ	DF115AST	DF115AT	DF115AZ	DF100AT
SUZUKI MULTI-FUNCTION GAUGE	P.10	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
SUZUKI KEYLESS START SYSTEM	P.26	○	○	○	○	○	○	○								○	○	○	○	○	○	○	○	○	○	○	○	○
ANALOGUE INSTRUMENT	P.30-31								○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
SUZUKI PRECISION CONTROL	P.32-39																											
ELECTRONIC REMOTE CONTROL KIT	P.32-36	○	○	○	○	○	○	○																				
ELECTRONIC REMOTE CONTROL BOX	P.33-36	○	○	○	○	○	○	○																				
BATTERY LEAD	P.41	○	○	○	○	○	○	○																				
MECHANICAL REMOTE CONTROL SYSTEM	P.42-45																											
MECHANICAL REMOTE CONTROL KIT	P.42-45								○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
MECHANICAL REMOTE CONTROL BOX	P.46								○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
BATTERY LEAD	P.46								○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
REMOTE-CONTROL CABLE	P.47								○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
REMOTE-CONTROL ATTACHING KIT	P.47								○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
STEERING	P.48-49																											
TILLER HANDLE KIT	P.48																									○	○	○
DUAL-ENGINE TIE-BAR	P.49					○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
STEERING EXTENSION KIT	P.49					○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○						
STEERING-BRACKET ATTACHMENT	P.49								○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
DRAG-LINK KIT	P.49					○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
ELECTRICAL PARTS	P.50-51																											
COUNTER SELECT CONNECTOR	P.37			○	○	○	○	○																				
BATTERY ISOLATOR LEAD SET	P.51	○	○	○	○	○	○	○								○	○	○	○									
ELECTRIC STARTER KIT (ONLY FOR MZ type)	P.51																											
BATTERY CHARGING KIT (ONLY FOR MZ type)	P.50																											
RECTIFIER SET (ONLY FOR MZ type)	P.50																											
RECEPTACLE KIT (ONLY FOR MZ type)	P.50																											
ANODE	P.64	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
FUEL SYSTEM	P.52-53	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○

		DF90A	DF70A	DF60A	DF60AV	DF50A	DF50AV	DF40A	DF30A	DF25A	DF20A	DF15A	DF9.9B	DF9.9A	DF8A	DF6A	DF5A	DF4A										
ITEM	PAGE	DF90ATH	DF70ATH	DF60ATH	DF60AQH	DF60AVTH	DF50ATH	DF50AQH	DF50AVTH	DF40ATH	DF40AQH	DF30A	DF30ATH	DF30AQH	DF25A	DF25ATH	DF25AQH	DF20A	DF20ATH	DF15A	DF15ATH	DF9.9B	DF9.9BTH	DF9.9A	DF8A	DF6A	DF5A	DF4A
SUZUKI MULTI-FUNCTION GAUGE	P.10																											
SUZUKI KEYLESS START SYSTEM	P.26																											
ANALOGUE INSTRUMENT	P.30-31																											
SUZUKI PRECISION CONTROL	P.32-39																											
ELECTRONIC REMOTE CONTROL KIT	P.32-36																											
ELECTRONIC REMOTE CONTROL BOX	P.33-36																											
BATTERY LEAD	P.41																											
MECHANICAL REMOTE CONTROL SYSTEM	P.42-45																											
MECHANICAL REMOTE CONTROL KIT	P.42-45																											
MECHANICAL REMOTE CONTROL BOX	P.46																											
BATTERY LEAD	P.46	○	○																									
REMOTE-CONTROL CABLE	P.47																											
REMOTE-CONTROL ATTACHING KIT	P.47											○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
STEERING	P.48-49																											
TILLER HANDLE KIT	P.48																											
DUAL-ENGINE TIE-BAR	P.49																											
STEERING EXTENSION KIT	P.49																											
STEERING-BRACKET ATTACHMENT	P.49	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○			
DRAG-LINK KIT	P.49																											
ELECTRICAL PARTS	P.50-51																											
COUNTER SELECT CONNECTOR	P.37																											
BATTERY ISOLATOR LEAD SET	P.51																											
ELECTRIC STARTER KIT (ONLY FOR MZ type)	P.51											○		○	○		○	○	○		○		○		○	○		
BATTERY CHARGING KIT (ONLY FOR MZ type)	P.50											○		○	○		○	○	○		○		○		○	○	○	○
RECTIFIER SET (ONLY FOR MZ type)	P.50											○		○	○		○	○	○		○		○		○	○	○	○
RECEPTACLE KIT (ONLY FOR MZ type)	P.50											○		○	○		○	○	○		○		○		○	○	○	○
ANODE	P.64	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
FUEL SYSTEM	P.52-53	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○

[illegible][illegible]

Suzuki's "Way of Life!" is the heart of our brand - every Suzuki vehicle, motorcycle and outboard motor is built to create excitement so customers can enjoy everyday life.



Please read your Owner's Manual carefully. Remember, boating and alcohol or other drugs don't mix. Always wear a personal flotation device when boating. Please operate your outboard safely and responsibly.

Suzuki encourages you to operate your boat safely and with respect for the marine environment.

Specifications, appearances, equipment, colors, materials and other items of "SUZUKI" products shown in this catalogue are subject to change by manufacturers at any time without notice and they may vary depending on local conditions or requirements. Some models are not available in some territories. Each model might be discontinued without notice. Please enquire at your local dealer for details of any such changes. Actual body color might differ from the colors in this brochure.



Suzuki Deutschland GmbH
Suzuki-Allee 7, 64625 Bensheim
Germany

2019 OBM RIGGING PART CATALOGUE (RETAIL)



Way of Life!

THE
ULTIMATE
4-STROKE OUTBOARD